- page 1 Table 1: Final TACs in the Bering Sea and Aleutian Islands by Year
- page 2 Table 2: Catch of All Eligible AFA Catcher Vessels in the Bering Sea and Aleutian Islands (1995-97)
- page 3 Table 3: Percent of TAC Harvested by All Eligible AFA Catcher Vessels in the Bering Sea and Aleutian Islands (1995-97)
- page 4 Table 4: Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Bering Sea and Aleutian Islands (1995-97)
- page 5 Table 5: Number and Average Length of Vessels by Sub-Sideboard Class and Sector
 - Table 6: Catch of Selected Species by Sub-Sideboard Class and Sector (1995-97)
- page 6 Table 7: 1995-97 Catch of the Eligible AFA Catcher Vessels in the BSAI with Less than 5,000 mt Average Pollock Landings from 1995-97
- page 7 Table 8: 1995-97 Percent of TAC Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 5,000 mt Average Pollock Landings from 1995-1997
- page 8 Table 9: 1995-97 Percent of Catch Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 5,000 mt Average Pollock Landings from 1995-97
- page 9 Table 10: 1995-97 Catch of the Eligible AFA Catcher Vessels in the BSAI with Less than 3,000 mt Average Pollock Landings from 1995-97
- page 10 Table 11: 1995-97 Percent of TAC Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 3,000 mt Average Pollock Landings from 1995-97
- page 11 Table 12: 1995-97 Percent of Catch Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 3,000 mt Average Pollock Landings from 1995-97
- page 12 Table 13: 1995-97 Catch of the Eligible AFA Catcher Vessels in the BSAI with Less than 1,000 mt Average Pollock Landings from 1995-97
- page 13 Table 14: 1995-97 Percent of TAC Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 1,000 mt Average Pollock Landings from 1995-97
- page 14 Table 15: 1995-97 Percent of Catch Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 1,000 mt Average Pollock Landings from 1995-97
- page 15 Table 16: Catch of All Eligible Catcher Vessels to Motherships in the BSAI Prior to February 1 (1995-97)
- page 16 Table 17: Percent of BSAI TAC Harvested by All Eligible Catcher Vessels in the Mothership Sector Prior to February 1 (1995-97)
- page 17 Table 18: Percent of BSAI Catch Harvested by All Eligible Catcher Vessels in the Mothership Sector Prior to February 1 (1995-97)
- page 18 Table 19: Catch History of All Eligible Catcher Vessels in the Inshore Sector in the Bering Sea and Aleutian Islands for Selected Target Species (1995-97)
 - Table 20: Catch History of All Eligible Catcher Vessels in the Inshore / Mothership Sector in the Bering Sea and Aleutian Islands for Selected Target Species (1995-97)
- page 19 Table 21: Catch History of All Eligible Catcher Vessels in the Mothership Sector in the Bering Sea and Aleutian Islands for Selected Target Species (1995-97)
 - Table 22: Catch History of All Eligible Catcher Vessels in the Catcher/Processor Sector in the Bering Sea and Aleutian Islands for Selected Target Species (1995-97)
- page 20 Table 23: Catch of Pacific Cod in the BSAI Prior to March 1 for AFA Catcher Vessels, by Vessels with a Majority of non-Pollock Catch in A Seasons (1995-97)
- page 21 Table 24: 1st Quarter Percentage of AFA Catcher Vessels' Catch in the Bering Sea and Aleutian Islands (Jan Mar, 1995-97)
- page 22 Table 25: 2nd Quarter Percentage of Catcher Vessels' Catch in the Bering Sea and Aleutian Islands (Apr Jun, 1995-97)
- page 23 Table 26: 3rd Quarter Percentage of Catcher Vessels' Catch in the Bering Sea and Aleutian Islands (Jul-Sep, 1995-97)
- page 24 Table 27: 4th Quarter Percentage of Catcher Vessels' Catch in the Bering Sea and Aleutian Islands (Oct Dec, 1995-97)
- page 25 Table 28: Quarterly Catch of Catcher Vessels in the Inshore Sector in the Bering Sea and Aleutian Islands (1995-97)
- page 26 Table 29: Quarterly Catch of Catcher Vessels in the Inshore / Mothership Sector in the Bering Sea and Aleutian Islands (1995-97)
- page 27 Table 30: Quarterly Catch of Catcher Vessels in the Mothership Sectors in the Bering Sea and Aleutian Islands (1995-97)
- page 28 Table 31: Quarterly Catch of Catcher Vessels in the Catcher Processor Sectors in the Bering Sea and Aleutian Islands (1995-97)
- page 29 Table 32: Catch of All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)
- page 30 Table 33: Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)
- page 31 Table 34: 1st Quarter Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)
- page 32 Table 35: 2nd Quarter Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)
- page 33 Table 36: 3rd Quarter Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)
- page 34 Table 37: 4th Quarter Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)
- page 35 Table 38: Quarterly Catch of Catcher Vessels in the Inshore Sector in the Gulf of Alaska (1995-97)
- page 36 Table 39: Quarterly Catch of Catcher Vessels in the Inshore / Mothership Sector in the Gulf of Alaska (1995-97)
- page 37 Table 40: Quarterly Catch of Catcher Vessels in the Mothership Sector in the Gulf of Alaska (1995-97)
- page 38 Table 41: Quarterly Catch of Catcher Vessels in the Catcher/Processor Sector in the Gulf of Alaska (1995-97)

Append2.xls\LIST 1/20/2000

Table 1: Final TACs in the Bering Sea and Aleutian Islands by Year

| | | | YEA | R | | | | | |
|--|-----------|-----------|-----------|-----------|-----------|-----------|---------------|-------------|--|
| Species by TAC Grouping | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1995-97 Total | Grand Total | |
| Atka Mackerel - Aleutian Islands | 43,000 | | | | | | - | 43,00 | |
| Atka Mackerel - Central Aleutian Islands | | 27,000 | 44,525 | 50,000 | 33,600 | 19,500 | 103,100 | 174,62 | |
| Atka Mackerel - Eastern Aleutian Islands | | 3,520 | 13,475 | 13,500 | 26,700 | 15,000 | 55,200 | 72,19 | |
| Atka Mackerel - Western Aleutian Islands | | 14,080 | 10,000 | 16,500 | 45,857 | 32,200 | 94,557 | 118,63 | |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 8,500 | 8,500 | 10,000 | 10,227 | 9,000 | 17,646 | 36,873 | 63,87 | |
| Other Flatfish - Bering Sea and Aleutian Islands | 67,150 | 67,150 | 47,600 | 19,540 | 29,750 | 43,138 | 92,428 | 274,32 | |
| Flathead Sole - Bering Sea and Aleutian Islands | | | | 25,500 | 25,500 | 36,975 | 87,975 | 87,97 | |
| Greenland Turbot - Aleutian Islands | | | 2,333 | 2,331 | 1,983 | 2,525 | 6,839 | 9,17 | |
| Greenland Turbot - Bering Sea | | | 4,667 | 4,669 | 3,967 | 8,275 | 16,911 | 21,57 | |
| Greenland Turbot - Bering Sea and Aleutian Islands | 5,950 | 7,000 | | | | | - | 12,95 | |
| Other Species - Bering Sea and Aleutian Islands | 17,000 | 22,610 | 22,432 | 20,000 | 20,125 | 25,800 | 65,925 | 127,96 | |
| Pacific Cod (All Gear) - Bering Sea and Aleutian Islands | 154,700 | 164,500 | | | | | - | 319,20 | |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | | | 92,040 | 121,800 | 138,200 | 152,700 | 412,700 | 504,74 | |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | | | 3,820 | 1,000 | 1,000 | 400 | 2,400 | 6,220 | |
| Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | | | 95,140 | 127,200 | 130,800 | | 258,000 | 353,14 | |
| Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI | | | | | | 65,450 | 65,450 | 65,45 | |
| Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI | | | | | | 51,450 | 51,450 | 51,45 | |
| Pollock - Aleutian Islands | 47,730 | | | | | | - | 47,73 | |
| Pollock (Inshore) - Aleutian Islands | | 16,706 | 18,324 | 18,324 | 11,525 | 9,065 | 38,914 | 73,94 | |
| Pollock (Offshore) - Aleutian Islands | | 31,024 | 34,031 | 34,031 | 21,404 | 16,835 | 72,270 | 137,32 | |
| Pollock - Bogoslof | 850 | | | | | | - | 850 | |
| Pollock (Inshore) - Bogoslof | | 298 | 298 | 298 | 298 | 298 | 894 | 1,49 | |
| Pollock (Offshore) - Bogoslof | | 552 | 552 | 552 | 552 | 552 | 1,656 | 2,76 | |
| Pollock - Bering Sea | 1,105,000 | | | | | | - | 1,105,00 | |
| Pollock (Inshore) - Bering Sea | | 420,875 | 430,588 | 404,687 | 385,263 | 365,837 | 1,155,787 | 2,007,25 | |
| Pollock (Offshore) - Bering Sea | | 781,625 | 799,662 | 751,563 | 715,487 | 679,413 | 2,146,463 | 3,727,75 | |
| Pacific Ocean Perch - Aleutian Islands | 3,009 | 13,900 | 10,900 | 10,500 | | | 10,500 | 38,30 | |
| Pacific Ocean Perch - Bering Sea | 9,945 | 3,330 | 1,910 | 1,850 | 1,530 | 2,380 | 5,760 | 20,94 | |
| Pacific Ocean Perch - Central Aleutian Islands | | | | | 3,025 | 3,170 | 6,195 | 6,19 | |
| Pacific Ocean Perch - Eastern Aleutian Islands | | | | | 3,025 | 3,240 | 6,265 | 6,26 | |
| Pacific Ocean Perch - Western Aleutian Islands | | | | | 6,050 | 6,390 | 12,440 | 12,44 | |
| Other Rockfish - Aleutian Islands | 786 | 706 | 655 | 589 | 728 | 607 | 1,924 | 4,07 | |
| Other Rockfish - Bering Sea | 340 | 306 | 310 | 329 | 380 | 317 | 1,026 | 1,98 | |
| Rock Sole - Bering Sea and Aleutian Islands | 34,000 | 63,750 | 63,750 | 60,000 | 59,500 | 82,607 | 202,107 | 363,60 | |
| Sablefish (Fixed Gear) - Aleutian Islands | 1,913 | 1,950 | 2,100 | 1,320 | 720 | 720 | 2,760 | 8,72 | |
| Sablefish (Fixed Gear) - Bering Sea | 595 | 638 | 270 | 640 | 440 | 440 | 1,520 | 3,02 | |
| Sablefish (Trawl Gear) - Aleutian Islands | 638 | 650 | 700 | 550 | 330 | 255 | 1,135 | 3,12 | |
| Sablefish (Trawl Gear) - Bering Sea | 595 | 637 | 270 | 800 | 468 | 468 | 1,736 | 3,23 | |
| Sharpchin/Northern Rockfish - Aleutian Islands | 4,820 | 5,100 | 5,670 | 5,103 | 4,445 | 3,706 | 13,254 | 28,84 | |
| Squid - Bering Sea and Aleutian Islands | 1,700 | 1,700 | 2,644 | 850 | 850 | 1,970 | 3,670 | 9,71 | |
| Shortraker/Rougheye Rockfish - Aleutian Islands | 1,037 | 1,100 | 1,037 | 933 | 956 | 938 | 2,827 | 6,00 | |
| Other Red Rockfish - Bering Sea | 1,190 | 1,200 | 1,190 | 1,070 | 1,071 | 893 | 3,034 | 6,61 | |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 199,750 | 187,000 | 170,325 | 161,500 | 170,000 | 195,500 | 527,000 | 1,084,07 | |
| Grand Total | 1,710,198 | 1,847,407 | 1,891,218 | 1,867,756 | 1,854,529 | 1,846,660 | 5,568,945 | 11,017,76 | |

Source: National Marine Fisheries Service AKR Webpage (for example - http://www.fakr.noaa.gov.1993/gcatch93.txt)

Append2.xls\TABLE_1 1/20/2000

Table 2: Catch of All Eligible AFA Catcher Vessels in the Bering Sea and Aleutian Islands (1995-97)

| | | | -Pollock Targe | et Fisheries | | | | All Fisheries | | |
|---|--------------|--------------|----------------|--------------|--------------------|--------------|--------------|---------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV I | | | Total Catch in | | AFA CV | | | Total Catch in |
| Species by 17te Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (90 Vessels) | (11 Vessels) | (10 Vessels) | (7 Vessels) | (118 Vessels) | (90 Vessels) | (11 Vessels) | (10 Vessels) | (7 Vessels) | (118 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | 1 | - | - | 1 | 15 | 2 | - | - | 17 |
| Atka Mackerel - Eastern Aleutian Islands | 16 | 7 | 1 | 10 | 34 | 452 | 10 | 2 | 11 | 475 |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 1,741 | 137 | 73 | 240 | 2,191 | 2,766 | 369 | 245 | 352 | 3,732 |
| Other Flatfish - Bering Sea and Aleutian Islands | 6,171 | 517 | 257 | 563 | 7,508 | 7,792 | 646 | 356 | 607 | 9,401 |
| Flathead Sole - Bering Sea and Aleutian Islands | 4,851 | 251 | 197 | 444 | 5,743 | 6,293 | 613 | 483 | 668 | 8,057 |
| Greenland Turbot - Aleutian Islands | 2 | - | - | 9 | 11 | 4 | - | - | 10 | 14 |
| Greenland Turbot - Bering Sea | 538 | 10 | 4 | 39 | 591 | 653 | 24 | 12 | 44 | 733 |
| Other Species - Bering Sea and Aleutian Islands | 3,050 | 216 | 138 | 338 | 3,742 | 3,500 | 339 | 229 | 416 | 4,484 |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 50 | 13 | - | 195 | 258 | 50 | 13 | - | 195 | 258 |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 40,884 | 3,118 | 2,057 | 4,957 | 51,016 | 45,449 | 3,831 | 2,620 | 5,754 | 57,654 |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pollock (Inshore) - Aleutian Islands | 10 | - | - | - | 10 | 36,116 | 238 | - | - | 36,354 |
| Pollock (Offshore) - Aleutian Islands | 121 | 287 | 54 | 263 | 725 | 2,229 | 672 | 84 | 1,358 | 4,343 |
| Pollock (Inshore) - Bering Sea | 23,325 | 1,262 | 878 | 655 | 26,120 | 1,143,057 | 22,383 | 1,925 | 2,403 | 1,169,768 |
| Pollock (Offshore) - Bering Sea | 1,937 | 1,141 | 669 | 1,180 | 4,927 | 62,958 | 174,161 | 144,521 | 94,129 | 475,769 |
| Pacific Ocean Perch - Bering Sea | 8 | 3 | - | 3 | 14 | 717 | 25 | 16 | 9 | 767 |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | 7 | - | - | - | 7 |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | 1 | - | - | 3 | 4 | 27 | - | - | 3 | 30 |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | 1 | - | 3 | 4 | 1 | 1 | - | 4 | 6 |
| Other Rockfish - Bering Sea | 24 | 1 | - | 4 | 29 | 51 | 2 | 1 | 6 | 60 |
| Rock Sole - Bering Sea and Aleutian Islands | 11,963 | 610 | 382 | 584 | 13,539 | 13,250 | 1,119 | 652 | 861 | 15,882 |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 54 | 1 | _ | 3 | 58 | 68 | 1 | - | 4 | 73 |
| Sablefish (Trawl Gear) - Bering Sea | 1 | - | - | - | 1 | 1 | - | - | - | 1 |
| Sharpchin/Northern Rockfish - Aleutian Islands | 1 | 11 | - | 5 | 17 | 1 | 12 | - | 6 | 19 |
| Squid - Bering Sea and Aleutian Islands | 7 | - | - | - | 7 | 1,427 | 53 | 20 | 14 | 1,514 |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | 3 | - | - | - | 3 |
| Other Red Rockfish - Bering Sea | 49 | 10 | 2 | 7 | 68 | 58 | 13 | 4 | 11 | 86 |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 33,070 | 4,196 | 894 | 997 | 39,157 | 33,249 | 4,402 | 1,043 | 1,036 | 39,730 |

 $Append 2.xls \ \ TABLE_2$ 1/20/2000

Table 3: Percent of TAC Harvested by All Eligible AFA Catcher Vessels in the Bering Sea and Aleutian Islands (1995-97)

| | | Non-P | ollock Target | Fisheries | | | A | All Fisheries | | |
|---|-------------------|--------------|---------------|-------------|--------------------|--------------|--------------|---------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV Hat | | | Total Catch in | | AFA CV Ha | rvests | | Total Catch in |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (90 Vessels) | (11 Vessels) | (10 Vessels) | (7 Vessels) | (118 Vessels) | (90 Vessels) | (11 Vessels) | (10 Vessels) | (7 Vessels) | (118 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | 0.01% | - | - | - | 0.01% |
| Atka Mackerel - Eastern Aleutian Islands | 0.03% | 0.01% | - | 0.02% | 0.06% | 0.82% | 0.02% | - | 0.02% | 0.86% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | _ | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 4.72% | 0.37% | 0.20% | 0.65% | 5.94% | 7.50% | 1.00% | 0.66% | 0.95% | 10.11% |
| Other Flatfish - Bering Sea and Aleutian Islands | 6.68% | 0.56% | 0.28% | 0.61% | 8.13% | 8.43% | 0.70% | 0.39% | 0.66% | 10.18% |
| Flathead Sole - Bering Sea and Aleutian Islands | 5.51% | 0.29% | 0.22% | 0.50% | 6.52% | 7.15% | 0.70% | 0.55% | 0.76% | 9.16% |
| Greenland Turbot - Aleutian Islands | 0.03% | - | - | 0.13% | 0.16% | 0.06% | - | _ | 0.15% | 0.21% |
| Greenland Turbot - Bering Sea | 3.18% | 0.06% | 0.02% | 0.23% | 3.49% | 3.86% | 0.14% | 0.07% | 0.26% | 4.33% |
| Other Species - Bering Sea and Aleutian Islands | 4.63% | 0.33% | 0.21% | 0.51% | 5.68% | 5.31% | 0.51% | 0.35% | 0.63% | 6.80% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 0.01% | - | - | 0.05% | 0.06% | 0.01% | - | - | 0.05% | 0.06% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 62.47% | 4.76% | 3.14% | 7.57% | 77.94% | 69.44% | 5.85% | 4.00% | 8.79% | 88.08% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 0.14% | 0.05% | - | 0.05% | 0.24% | 12.45% | 0.43% | 0.28% | 0.16% | 13.32% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | 0.11% | - | - | - | 0.11% |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | 0.02% | - | - | 0.05% | 0.07% | 0.43% | - | - | 0.05% | 0.48% |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | 0.05% | - | 0.16% | 0.21% | 0.05% | 0.05% | - | 0.21% | 0.31% |
| Other Rockfish - Bering Sea | 2.34% | 0.10% | - | 0.39% | 2.83% | 4.97% | 0.19% | 0.10% | 0.58% | 5.84% |
| Rock Sole - Bering Sea and Aleutian Islands | 5.92% | 0.30% | 0.19% | 0.29% | 6.70% | 6.56% | 0.55% | 0.32% | 0.43% | 7.86% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | _ | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 4.76% | 0.09% | - | 0.26% | 5.11% | 5.99% | 0.09% | - | 0.35% | 6.43% |
| Sablefish (Trawl Gear) - Bering Sea | 0.06% | - | - | - | 0.06% | 0.06% | - | - | - | 0.06% |
| Sharpchin/Northern Rockfish - Aleutian Islands | 0.01% | 0.08% | - | 0.04% | 0.13% | 0.01% | 0.09% | - | 0.05% | 0.15% |
| Squid - Bering Sea and Aleutian Islands | 0.19% | - | - | - | 0.19% | 38.88% | 1.44% | 0.54% | 0.38% | 41.24% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | 0.11% | - | - | - | 0.11% |
| Other Red Rockfish - Bering Sea | 1.62% | 0.33% | 0.07% | 0.23% | 2.25% | 1.91% | 0.43% | 0.13% | 0.36% | 2.83% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 6.28% | 0.80% | 0.17% | 0.19% | 7.44% | 6.31% | 0.84% | 0.20% | 0.20% | 7.55% |
| Source: Alaska Department of Fish and Game fish ticket data: National Marine Fisherie | a Comico observan | data | | | | | | | | • |

Append2.xls\TABLE_3 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 4: Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Bering Sea and Aleutian Islands (1995-97)

| | | | ollock Target | Fisheries | | | | Il Fisheries | | |
|---|--------------|--------------|---------------|-------------|--------------------|--------------|--------------|--------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV Ha | rvests | | Total Catch in | | AFA CV Ha | rvests | | Total Catch in |
| species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (90 Vessels) | (11 Vessels) | (10 Vessels) | (7 Vessels) | (118 Vessels) | (90 Vessels) | (11 Vessels) | (10 Vessels) | (7 Vessels) | (118 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | 0.01% | - | - | - | 0.01% |
| Atka Mackerel - Eastern Aleutian Islands | 0.03% | 0.01% | - | 0.02% | 0.06% | 0.77% | 0.02% | - | 0.02% | 0.81% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 5.12% | 0.40% | 0.21% | 0.71% | 6.44% | 8.13% | 1.08% | 0.72% | 1.03% | 10.96% |
| Other Flatfish - Bering Sea and Aleutian Islands | 10.01% | 0.84% | 0.42% | 0.91% | 12.18% | 12.64% | 1.05% | 0.58% | 0.98% | 15.25% |
| Flathead Sole - Bering Sea and Aleutian Islands | 9.25% | 0.48% | 0.38% | 0.85% | 10.96% | 12.00% | 1.17% | 0.92% | 1.27% | 15.36% |
| Greenland Turbot - Aleutian Islands | 0.04% | - | - | 0.19% | 0.23% | 0.09% | - | - | 0.21% | 0.30% |
| Greenland Turbot - Bering Sea | 3.29% | 0.06% | 0.02% | 0.24% | 3.61% | 3.99% | 0.15% | 0.07% | 0.27% | 4.48% |
| Other Species - Bering Sea and Aleutian Islands | 4.45% | 0.32% | 0.20% | 0.49% | 5.46% | 5.10% | 0.49% | 0.33% | 0.61% | 6.53% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 0.01% | - | - | 0.05% | 0.06% | 0.01% | - | - | 0.05% | 0.06% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 65.02% | 4.96% | 3.27% | 7.88% | 81.13% | 72.28% | 6.09% | 4.17% | 9.15% | 91.69% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 0.17% | 0.06% | - | 0.06% | 0.29% | 15.26% | 0.53% | 0.34% | 0.19% | 16.32% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | 0.12% | - | - | - | 0.12% |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | 0.02% | - | - | 0.05% | 0.07% | 0.44% | - | - | 0.05% | 0.49% |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | 0.13% | - | 0.39% | 0.52% | 0.13% | 0.13% | - | 0.52% | 0.78% |
| Other Rockfish - Bering Sea | 4.04% | 0.17% | - | 0.67% | 4.88% | 8.59% | 0.34% | 0.17% | 1.01% | 10.11% |
| Rock Sole - Bering Sea and Aleutian Islands | 7.06% | 0.36% | 0.23% | 0.34% | 7.99% | 7.82% | 0.66% | 0.38% | 0.51% | 9.37% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 37.33% | 0.69% | - | 2.07% | 40.09% | 47.01% | 0.69% | - | 2.77% | 50.47% |
| Sablefish (Trawl Gear) - Bering Sea | 0.20% | - | - | - | 0.20% | 0.20% | - | - | - | 0.20% |
| Sharpchin/Northern Rockfish - Aleutian Islands | 0.01% | 0.09% | - | 0.04% | 0.14% | 0.01% | 0.10% | - | 0.05% | 0.16% |
| Squid - Bering Sea and Aleutian Islands | 0.26% | - | - | - | 0.26% | 53.20% | 1.98% | 0.75% | 0.52% | 56.45% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | 0.12% | - | - | | 0.12% |
| Other Red Rockfish - Bering Sea | 6.42% | 1.31% | 0.26% | 0.92% | 8.91% | 7.60% | 1.70% | 0.52% | 1.44% | 11.26% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 7.57% | 0.96% | 0.20% | 0.23% | 8.96% | 7.61% | 1.01% | 0.24% | 0.24% | 9.10% |

Append2.xls\TABLE_4 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 5: Number and Average Length of Vessels by Sub-Sideboard Class and Sector

| | All | | <5, | ,000 mt | <3, | 000 mt | <1,00 | 00 mt |
|---------|----------------|--------|---------|-------------|---------|-------------|---------|--------|
| Sector | | Avg. | No. of | | No. of | | No. of | Avg. |
| | No. of Vessels | Length | Vessels | Avg. Length | Vessels | Avg. Length | Vessels | Length |
| C_IN | 90 | 119 | 55 | 102 | 40 | 96 | 18 | 85 |
| C_IN/MS | 11 | 107 | 3 | 102 | | | | |
| C_MS | 10 | 109 | 6 | 107 | 2 | 128 | | |
| C_CP | 7 | 102 | 5 | 99 | 1 | 96 | | |
| Total | 118 | 116 | 69 | 102 | 43 | 98 | 18 | 85 |

Table 6: Catch of Selected Species by Sub-Sideboard Class and Sector (1995-97)

| | | | Cate | h Class | |
|--------------------------------|---------|---------|-----------|-----------|-----------|
| Species | Sector | All | <5,000 mt | <3,000 mt | <1,000 mt |
| Pacific Cod | C_IN | 92,018 | 55,043 | 32,664 | 8,160 |
| (Trawl Gear) BSAI: 1995 & 1996 | C_IN/MS | 9,734 | conf. | | |
| | C_MS | 6,387 | 2,093 | conf. | |
| | C_CP | 6,057 | 4,199 | conf. | |
| | Total | 114,195 | conf. | conf. | 8,160 |
| Pacific Cod | C_IN | 46,264 | 25,517 | 14,399 | 3,093 |
| (Trawl Gear, Catcher Vessels) | C_IN/MS | 3,831 | conf. | | |
| BSAI: 1997 | C_MS | 2,620 | 922 | conf. | |
| | C_CP | 5,754 | 4,957 | conf. | |
| | Total | 58,470 | conf. | conf. | 3,093 |
| Rock Sole | C_IN | 13,250 | 5,177 | 2,528 | 738 |
| BSAI | C_IN/MS | 1,119 | conf. | | |
| | C_MS | 652 | 278 | conf. | |
| | C_CP | 861 | 583 | conf. | |
| | Total | 15,882 | conf. | conf. | 738 |
| Yellowfin Sole | C_IN | 33,249 | 1,733 | 1,123 | 305 |
| BSAI | C_IN/MS | 4,402 | conf. | | |
| | C_MS | 1,043 | 60 | conf. | |
| | C_CP | 1,036 | 929 | conf. | |
| | Total | 39,730 | conf. | 1,140 | 305 |

Table 7: Catch of the Eligible AFA Catcher Vessels in the BSAI with Less than 5,000 mt Average Pollock Landings from 1995-97

| | | Nor | -Pollock Targ | get Fisheries | | | Non-F | Pollock Target | Fisheries | |
|---|--------------|-------------|---------------|---------------|--------------------|--------------|-------------|----------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV | Harvests | | Total Catch in | | AFA CV | Harvests | | Total Catch in |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (55 Vessels) | (3 Vessels) | (6 Vessels) | (5 Vessels) | (69 Vessels) | (55 Vessels) | (3 Vessels) | (6 Vessels) | (5 Vessels) | (69 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Atka Mackerel - Eastern Aleutian Islands | 1 | - | - | 10 | 11 | 144 | - | 1 | 11 | 156 |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 989 | conf. | 21 | 186 | conf. | 1,404 | conf. | 100 | 253 | conf. |
| Other Flatfish - Bering Sea and Aleutian Islands | 2,126 | conf. | 60 | 544 | conf. | 2,740 | conf. | 82 | 570 | conf. |
| Flathead Sole - Bering Sea and Aleutian Islands | 1,965 | conf. | 116 | 351 | conf. | 2,540 | conf. | 259 | 481 | conf. |
| Greenland Turbot - Aleutian Islands | - | - | - | 9 | 9 | - | - | - | 10 | 10 |
| Greenland Turbot - Bering Sea | 225 | - | 4 | 39 | 268 | 239 | conf. | 6 | 41 | conf. |
| Other Species - Bering Sea and Aleutian Islands | 1,552 | conf. | 82 | 302 | conf. | 1,732 | conf. | 123 | 351 | conf. |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 49 | - | - | 195 | 244 | 49 | - | - | 195 | 244 |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 24,066 | conf. | 715 | 4,364 | conf. | 25,517 | conf. | 922 | 4,957 | conf. |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 4 | - | - | 1 | 5 | 148 | conf. | 5 | 6 | conf. |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | - | 3 | 3 | - | - | - | 3 | 3 |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | - | - | 3 | 3 | - | - | - | 4 | 4 |
| Other Rockfish - Bering Sea | 7 | - | - | 3 | 10 | 15 | - | - | 5 | 20 |
| Rock Sole - Bering Sea and Aleutian Islands | 4,785 | conf. | 143 | 433 | conf. | 5,177 | conf. | 278 | 583 | conf. |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 19 | - | - | 3 | 22 | 21 | - | - | 3 | 24 |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | - | - | 5 | 5 | - | - | - | 6 | 6 |
| Squid - Bering Sea and Aleutian Islands | 2 | - | - | - | 2 | 131 | conf. | 5 | 4 | conf. |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Other Red Rockfish - Bering Sea | 42 | - | - | 3 | 45 | 45 | - | 2 | 7 | 54 |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 1,640 | conf. | 36 | 895 | conf. | 1,733 | conf. | 60 | 929 | conf. |
| Source: Alaska Department of Fish and Game fish ticket data: National Marine Fish | | | | | 1 | | | | | |

Append2.xls\TABLE_7 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 8: Percent of TAC Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 5,000 mt Average Pollock Landings from 1995-1997

| | | No | n-Pollock Tarş | get Fisheries | | | Non-P | ollock Target | Fisheries | |
|---|-------------------|-------------|----------------|---------------|--------------------|--------------|-------------|---------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV | | | Total Catch in | | AFA CV | | | Total Catch in |
| Species by The Glouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (56 Vessels) | (3 Vessels) | (6 Vessels) | (5 Vessels) | (70 Vessels) | (56 Vessels) | (3 Vessels) | (6 Vessels) | (5 Vessels) | (70 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Atka Mackerel - Eastern Aleutian Islands | - | - | - | 0.02% | 0.02% | 0.26% | - | - | 0.02% | 0.28% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | _ |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 2.68% | conf. | 0.06% | 0.50% | conf. | 3.81% | conf. | 0.27% | 0.69% | conf. |
| Other Flatfish - Bering Sea and Aleutian Islands | 2.30% | conf. | 0.06% | 0.59% | conf. | 2.96% | conf. | 0.09% | 0.62% | conf. |
| Flathead Sole - Bering Sea and Aleutian Islands | 2.23% | conf. | 0.13% | 0.40% | conf. | 2.89% | conf. | 0.29% | 0.55% | conf. |
| Greenland Turbot - Aleutian Islands | - | - | - | 0.13% | 0.13% | - | - | - | 0.15% | 0.15% |
| Greenland Turbot - Bering Sea | 1.33% | - | 0.02% | 0.23% | 1.58% | 1.41% | conf. | 0.04% | 0.24% | conf. |
| Other Species - Bering Sea and Aleutian Islands | 2.35% | conf. | 0.12% | 0.46% | conf. | 2.63% | conf. | 0.19% | 0.53% | conf. |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 0.01% | - | - | 0.05% | 0.06% | 0.01% | - | - | 0.05% | 0.06% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 36.77% | conf. | 1.09% | 6.67% | conf. | 38.99% | conf. | 1.41% | 7.57% | conf. |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 0.07% | - | - | 0.02% | 0.09% | 2.57% | conf. | 0.09% | 0.10% | conf. |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | - | 0.05% | 0.05% | - | - | - | 0.05% | 0.05% |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | - | - | 0.16% | 0.16% | - | - | - | 0.21% | 0.21% |
| Other Rockfish - Bering Sea | 0.68% | - | - | 0.29% | 0.97% | 1.46% | - | - | 0.49% | 1.95% |
| Rock Sole - Bering Sea and Aleutian Islands | 2.37% | conf. | 0.07% | 0.21% | conf. | 2.56% | conf. | 0.14% | 0.29% | conf. |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 1.67% | - | - | 0.26% | 1.93% | 1.85% | - | - | 0.26% | 2.11% |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | - | - | 0.04% | 0.04% | - | - | - | 0.05% | 0.05% |
| Squid - Bering Sea and Aleutian Islands | 0.05% | - | - | - | 0.05% | 3.57% | conf. | 0.14% | 0.11% | conf. |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Other Red Rockfish - Bering Sea | 1.38% | - | - | 0.10% | 1.48% | 1.48% | - | 0.07% | 0.23% | 1.78% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 0.31% | - | 0.01% | 0.17% | 0.49% | 0.33% | - | 0.01% | 0.18% | 0.52% |
| Source: Alaska Department of Fish and Game fish ticket data: National Marine Fish | omica Compiae ale | amian data | | | | | | | | • |

Append2.xls\TABLE_8 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 9: Percent of Catch Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 5,000 mt Average Pollock Landings from 1995-97

| | | No | n-Pollock Targ | get Fisheries | | | Non-P | ollock Target | Fisheries | |
|---|--------------|-------------|----------------|---------------|--------------------|--------------|-------------|---------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV | Harvests | | Total Catch in | | AFA CV | Harvests | | Total Catch in |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (56 Vessels) | (3 Vessels) | (6 Vessels) | (5 Vessels) | (70 Vessels) | (56 Vessels) | (3 Vessels) | (6 Vessels) | (5 Vessels) | (70 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Atka Mackerel - Eastern Aleutian Islands | - | - | - | 0.02% | 0.02% | 0.25% | - | - | 0.02% | 0.27% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 2.91% | conf. | 0.06% | 0.55% | 3.61% | 4.13% | conf. | 0.29% | 0.74% | conf. |
| Other Flatfish - Bering Sea and Aleutian Islands | 3.45% | conf. | 0.10% | 0.88% | 4.56% | 4.44% | conf. | 0.13% | | conf. |
| Flathead Sole - Bering Sea and Aleutian Islands | 3.75% | conf. | 0.22% | 0.67% | 4.84% | 4.84% | conf. | 0.49% | 0.92% | conf. |
| Greenland Turbot - Aleutian Islands | - | - | - | 0.19% | 0.19% | - | - | - | 0.21% | 0.21% |
| Greenland Turbot - Bering Sea | 1.38% | - | 0.02% | 0.24% | 1.64% | 1.46% | conf. | 0.04% | 0.25% | conf. |
| Other Species - Bering Sea and Aleutian Islands | 2.26% | conf. | 0.12% | 0.44% | 2.93% | 2.53% | conf. | 0.18% | 0.51% | conf. |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 0.01% | - | - | 0.05% | 0.06% | 0.01% | - | - | 0.05% | 0.06% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 38.27% | conf. | 1.14% | 6.94% | 48.40% | 40.58% | conf. | 1.47% | 7.88% | conf. |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 0.09% | - | - | 0.02% | 0.11% | 3.15% | conf. | 0.11% | 0.13% | conf. |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | - | 0.05% | 0.05% | - | - | - | 0.05% | 0.05% |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | - | - | 0.39% | 0.39% | - | - | - | 0.52% | 0.52% |
| Other Rockfish - Bering Sea | 1.18% | - | - | 0.51% | 1.69% | 2.53% | - | - | 0.84% | 3.37% |
| Rock Sole - Bering Sea and Aleutian Islands | 2.83% | conf. | 0.08% | 0.26% | 3.29% | 3.06% | conf. | 0.16% | 0.34% | conf. |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 13.13% | - | - | 2.07% | 15.20% | 14.52% | - | - | 2.07% | 16.59% |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | - | - | 0.04% | 0.04% | - | - | - | 0.05% | 0.05% |
| Squid - Bering Sea and Aleutian Islands | 0.07% | - | - | - | 0.07% | 4.88% | conf. | 0.19% | 0.15% | conf. |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Other Red Rockfish - Bering Sea | 5.50% | - | - | 0.39% | 5.89% | 5.90% | - | 0.26% | 0.92% | 7.08% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 0.38% | - | 0.01% | 0.20% | 0.59% | 0.40% | - | 0.01% | 0.21% | 0.62% |

Append2.xls\TABLE_9 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 10: Catch of the Eligible AFA Catcher Vessels in the BSAI with Less than 3,000 mt Average Pollock Landings from 1995-97

| | 1 | Non- | -Pollock Targ | et Fisheries | | I | Non-Po | ollock Target | Fisheries | |
|---|--------------|-------------|---------------|--------------|--------------------|--------------|-------------|---------------|------------|----------------|
| pecies by TAC Grouping | | AFA CV F | Iarvests | | Total Catch in | | AFA CV F | Harvests | | Total Catch in |
| ecies by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (40 Vessels) | (0 Vessels) | (2 Vessel) | (1 Vessel) | (43 Vessels) | (40 Vessels) | (0 Vessels) | (2 Vessel) | (1 Vessel) | (43 Vessels) |
| ka Mackerel - Central Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| ka Mackerel - Eastern Aleutian Islands | 1 | - | - | - | 1 | 1 | - | - | - | 26 |
| ka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| rrowtooth Flounder - Bering Sea and Aleutian Islands | 661 | - | conf. | conf. | 690 | 690 | - | conf. | conf. | conf. |
| ther Flatfish - Bering Sea and Aleutian Islands | 1,135 | - | - | conf. | conf. | 1,140 | - | conf. | conf. | conf. |
| athead Sole - Bering Sea and Aleutian Islands | 1,242 | - | conf. | conf. | 1,310 | 1,310 | - | conf. | conf. | conf. |
| reenland Turbot - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| reenland Turbot - Bering Sea | 169 | - | - | - | 169 | 169 | - | - | - | 174 |
| ther Species - Bering Sea and Aleutian Islands | 797 | - | conf. | conf. | 844 | 844 | - | conf. | conf. | 940 |
| cific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 34 | - | - | - | 34 | 34 | - | - | - | 34 |
| cific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 13,891 | - | - | conf. | conf. | 14,286 | - | - | conf. | conf. |
| Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| cific Ocean Perch - Bering Sea | 2 | - | - | - | 2 | 2 | - | - | conf. | conf. |
| Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | - | conf. | conf. | 1 | - | - | conf. | conf. |
| Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| ther Rockfish - Aleutian Islands | - | - | - | conf. | conf. | 1 | - | - | conf. | conf. |
| ther Rockfish - Bering Sea | 5 | - | - | - | 5 | 5 | - | - | conf. | conf. |
| ock Sole - Bering Sea and Aleutian Islands | 2,382 | - | - | conf. | conf. | 2,403 | - | - | conf. | conf. |
| ıblefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| ıblefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| ıblefish (Trawl Gear) - Aleutian Islands | 18 | - | - | - | 18 | 18 | - | - | - | 18 |
| blefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| narpchin/Northern Rockfish - Aleutian Islands | - | - | - | conf. | conf. | 1 | - | - | conf. | conf. |
| uid - Bering Sea and Aleutian Islands | 1 | - | - | - | 1 | 1 | - | - | - | 61 |
| nortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | | - |
| ther Red Rockfish - Bering Sea | 39 | - | - | conf. | conf. | 40 | - | - | conf. | conf. |
| ellowfin Sole - Bering Sea and Aleutian Islands | 1,058 | - | - | - | 1,058 | 1,058 | - | conf. | conf. | 1,141 |

Append2.xls\TABLE_10 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 11: Percent of TAC Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 3,000 mt Average Pollock Landings from 1995-97

| | | Non-P | ollock Target | Fisheries | | | Non-Polle | ock Target Fi | isheries | |
|---|--------------|-------------|---------------|------------|--------------------|--------------|-------------|---------------|------------|----------------|
| Species by TAC Grouping | | AFA CV Ha | rvests | | Total Catch in | | AFA CV Ha | rvests | | Total Catch in |
| species by The Glouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (40 Vessels) | (0 Vessels) | (2 Vessel) | (1 Vessel) | (43 Vessels) | (40 Vessels) | (0 Vessels) | (2 Vessel) | (1 Vessel) | (43 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | - | - | - | | - |
| Atka Mackerel - Eastern Aleutian Islands | - | - | - | - | - | 0.05% | - | - | | 0.05% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 1.79% | - | conf. | conf. | 1.87% | 2.42% | - | conf. | conf | 2.56% |
| Other Flatfish - Bering Sea and Aleutian Islands | 1.23% | - | - | - | 1.23% | 1.56% | - | - | | 1.57% |
| Flathead Sole - Bering Sea and Aleutian Islands | 1.41% | - | - | conf. | conf. | 1.73% | - | conf. | conf | 1.86% |
| Greenland Turbot - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Greenland Turbot - Bering Sea | 1.00% | - | - | - | 1.00% | 1.02% | - | - | | 1.03% |
| Other Species - Bering Sea and Aleutian Islands | 1.21% | - | - | conf. | conf. | 1.33% | - | conf. | conf | 1.42% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 0.01% | - | - | - | 0.01% | 0.01% | - | - | | 0.01% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 21.22% | - | - | conf. | conf. | 22.00% | - | - | conf | conf. |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | | - |
| Pacific Ocean Perch - Bering Sea | 0.03% | - | - | - | 0.03% | 0.68% | - | - | conf | conf. |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | - | conf. | conf. | - | - | - | conf | conf. |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | - | - | conf. | conf. | - | - | - | conf | conf. |
| Other Rockfish - Bering Sea | 0.49% | - | - | - | 0.49% | 0.58% | - | - | conf | conf. |
| Rock Sole - Bering Sea and Aleutian Islands | 1.18% | - | - | conf. | conf. | 1.25% | - | - | conf | conf. |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 1.59% | - | - | - | 1.59% | 1.59% | - | - | | 1.59% |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | - | - | conf. | conf. | - | - | - | conf | conf. |
| Squid - Bering Sea and Aleutian Islands | 0.03% | - | - | - | 0.03% | 1.63% | - | - | | 1.66% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | | - |
| Other Red Rockfish - Bering Sea | 1.29% | - | - | conf. | conf. | 1.32% | - | - | conf | . conf. |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 0.20% | - | - | - | 0.20% | 0.21% | - | _ | | 0.21% |

Append2.xls\TABLE_11 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 12: Percent of Catch Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 3,000 mt Average Pollock Landings from 1995-97

| | | | ollock Target | Fisheries | | | | ck Target Fi | sheries | |
|---|----------------------|-------------|---------------|------------|--------------------|--------------|-------------|--------------|------------|----------------|
| Species by TAC Grouping | | AFA CV Ha | | | Total Catch in | | AFA CV Ha | | | Total Catch in |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (40 Vessels) | (0 Vessels) | (2 Vessel) | (1 Vessel) | (43 Vessels) | (40 Vessels) | (0 Vessels) | (2 Vessel) | (1 Vessel) | (43 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | | - | - | - | - | - | - | - | - |
| Atka Mackerel - Eastern Aleutian Islands | - | | - | - | - | 0.04% | - | - | | 0.04% |
| Atka Mackerel - Western Aleutian Islands | - | | - | - | - | - | - | - | | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 2.01% | | conf. | conf. | 2.10% | 2.63% | - | conf. | conf | 2.75% |
| Other Flatfish - Bering Sea and Aleutian Islands | 1.65% | | - | - | 1.65% | 2.07% | - | - | - | 2.07% |
| Flathead Sole - Bering Sea and Aleutian Islands | 2.46% | | - | conf. | conf. | 2.94% | - | conf. | conf | 3.11% |
| Greenland Turbot - Aleutian Islands | - | | - | - | - | - | - | - | - | - |
| Greenland Turbot - Bering Sea | 1.24% | - | - | - | 1.24% | 1.26% | - | - | | 1.26% |
| Other Species - Bering Sea and Aleutian Islands | 1.23% | | - | conf. | conf. | 1.34% | - | conf. | conf | 1.42% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | - | | - | - | - | - | - | - | - | - |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 20.23% | | - | conf. | conf. | 20.99% | - | - | conf | . conf. |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 0.11% | | - | - | 0.11% | 0.85% | - | - | conf | . conf. |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | | - | conf. | conf. | - | - | - | conf | . conf. |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | | - | conf. | conf. | - | - | - | conf | . conf. |
| Other Rockfish - Bering Sea | 0.84% | | - | - | 0.84% | 1.01% | - | - | conf | . conf. |
| Rock Sole - Bering Sea and Aleutian Islands | 1.47% | | - | conf. | conf. | 1.55% | - | - | conf | . conf. |
| Sablefish (Fixed Gear) - Aleutian Islands | - | | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 14.52% | | - | - | 14.52% | 14.52% | - | - | - | 14.52% |
| Sablefish (Trawl Gear) - Bering Sea | - | | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | | - | conf. | conf. | - | - | - | conf | . conf. |
| Squid - Bering Sea and Aleutian Islands | 0.04% | | - | - | 0.04% | 1.90% | - | - | - | 1.90% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | | | - | | - | - | - | - | | - |
| Other Red Rockfish - Bering Sea | 5.24% | - | - | conf. | conf. | 5.37% | | - | conf | . conf. |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 0.25% | | - | - | 0.25% | 0.26% | - | - | - | 0.26% |
| Source: Alaska Department of Fish and Game fish ticket data: National Marine Fisher | ies Service observer | data | | | • | | | | | |

Append2.xls\TABLE_12 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 13: Catch of the Eligible AFA Catcher Vessels in the BSAI with Less than 1,000 mt Average Pollock Landings from 1995-97

| | | No | n-Pollock Tar | get Fisheries | | | Non-Pollock Target Fisheries | | | |
|---|-------------------|-------------|---------------|---------------|--------------------|--------------|------------------------------|-------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV | Harvests | | Total Catch in | | AFA CV | Harvests | | Total Catch in |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (18 Vessels) | (0 Vessels) | (0 Vessels) | (0 Vessels) | (18 Vessels) | (18 Vessels) | (0 Vessels) | (0 Vessels) | (0 Vessels) | (18 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Atka Mackerel - Eastern Aleutian Islands | - | - | - | - | - | 7 | - | - | - | 7 |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 285 | - | - | - | 285 | 374 | - | - | - | 374 |
| Other Flatfish - Bering Sea and Aleutian Islands | 186 | - | - | - | 186 | 257 | - | - | - | 257 |
| Flathead Sole - Bering Sea and Aleutian Islands | 456 | - | - | - | 456 | 547 | - | - | - | 547 |
| Greenland Turbot - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Greenland Turbot - Bering Sea | 47 | - | - | - | 47 | 48 | - | - | - | 48 |
| Other Species - Bering Sea and Aleutian Islands | 307 | - | - | - | 307 | 331 | - | - | - | 331 |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 2,968 | - | - | - | 2,968 | 3,093 | - | - | - | 3,093 |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 2 | - | - | - | 2 | 8 | - | - | - | 8 |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Bering Sea | 3 | - | - | - | 3 | 3 | - | - | - | 3 |
| Rock Sole - Bering Sea and Aleutian Islands | 654 | - | - | - | 654 | 738 | - | - | - | 738 |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 4 | - | - | - | 4 | 4 | - | - | - | 4 |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Squid - Bering Sea and Aleutian Islands | - | - | - | - | - | 13 | - | - | - | 13 |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Other Red Rockfish - Bering Sea | 2 | - | - | - | 2 | 2 | - | - | - | 2 |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 295 | - | - | - | 295 | 305 | - | - | 2 | 307 |
| Source: Alaska Department of Fish and Game fish ticket data: National Marine Fisher | ios Corvigo obser | vor doto | | | • | | | | | |

Append2.xls\TABLE_13 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 14: Percent of TAC Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 1,000 mt Average Pollock Landings from 1995-97

| | | Non-Po | ollock Target Fisheries | | Non-Pollock Target Fisheries | | | | | |
|---|--------------|-------------|-------------------------|--------------------|------------------------------|-------------|-------------|-------------|----------------|--|
| Species by TAC Grouping | | AFA CV Har | vests | Total Catch in | | AFA CV Ha | arvests | | Total Catch in | |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries | |
| | (18 Vessels) | (0 Vessels) | (0 Vessels) (0 Vessels) | (18 Vessels) | (18 Vessels) | (0 Vessels) | (0 Vessels) | (0 Vessels) | (18 Vessels) | |
| Atka Mackerel - Central Aleutian Islands | - | - | | - | - | | | - | - | |
| Atka Mackerel - Eastern Aleutian Islands | - | - | | - | 0.01% | | | - | 0.01% | |
| Atka Mackerel - Western Aleutian Islands | - | - | | - | - | | | - | - | |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 0.77% | - | | 0.77% | 1.01% | | | - | 1.01% | |
| Other Flatfish - Bering Sea and Aleutian Islands | 0.20% | | | 0.20% | 0.28% | | | - | 0.28% | |
| Flathead Sole - Bering Sea and Aleutian Islands | 0.52% | - | | 0.52% | 0.62% | | | - | 0.62% | |
| Greenland Turbot - Aleutian Islands | - | - | | - | - | | | - | - | |
| Greenland Turbot - Bering Sea | 0.28% | - | | 0.28% | 0.28% | | | - | 0.28% | |
| Other Species - Bering Sea and Aleutian Islands | 0.47% | - | | 0.47% | 0.50% | | | - | 0.50% | |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | - | - | | - | - | | | - | - | |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | | - | - | | | - | - | |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 4.53% | - | | 4.53% | 4.73% | | | - | 4.73% | |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | | - | - | | | - | - | |
| Pacific Ocean Perch - Bering Sea | 0.03% | - | | 0.03% | 0.14% | | | - | 0.14% | |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | | - | - | | | - | - | |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | | - | - | | | - | - | |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | | - | - | | | - | - | |
| Other Rockfish - Aleutian Islands | - | - | | - | - | | | - | - | |
| Other Rockfish - Bering Sea | 0.29% | - | | 0.29% | 0.29% | | | - | 0.29% | |
| Rock Sole - Bering Sea and Aleutian Islands | 0.32% | - | | 0.32% | 0.37% | | | - | 0.37% | |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | | - | - | | | - | - | |
| Sablefish (Fixed Gear) - Bering Sea | - | - | | - | - | | | - | - | |
| Sablefish (Trawl Gear) - Aleutian Islands | 0.35% | - | | 0.35% | 0.35% | | | - | 0.35% | |
| Sablefish (Trawl Gear) - Bering Sea | - | - | | - | - | | | - | - | |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | - | | - | - | | | - | - | |
| Squid - Bering Sea and Aleutian Islands | - | - | | - | 0.35% | | | - | 0.35% | |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | | - | - | | | - | - | |
| Other Red Rockfish - Bering Sea | 0.07% | - | | 0.07% | 0.07% | | | - | 0.07% | |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 0.06% | - | | 0.06% | 0.06% | | | - | 0.06% | |

Append2.xls\TABLE_14 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 15: Percent of Catch Harvested by the Eligible AFA Catcher Vessels in the BSAI with Less than 1,000 mt Average Pollock Landings from 1995-97

| | | | Pollock Target | Fisheries | | | | ock Target Fi | sheries | |
|---|--------------------|-------------|----------------|-------------|--------------------|--------------|-------------|---------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV H | | | Total Catch in | | AFA CV Ha | | | Total Catch in |
| species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (18 Vessels) | (0 Vessels) | (0 Vessels) | (0 Vessels) | (18 Vessels) | (18 Vessels) | (0 Vessels) | (0 Vessels) | (0 Vessels) | (18 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | | | - | - | - | | - | | - |
| Atka Mackerel - Eastern Aleutian Islands | - | | | - | - | 0.01% | - | - | | 0.01% |
| Atka Mackerel - Western Aleutian Islands | - | | | - | - | - | - | - | | |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 0.84% | | | - | 0.84% | 1.10% | - | - | | 1.10% |
| Other Flatfish - Bering Sea and Aleutian Islands | 0.30% | | | - | 0.30% | 0.42% | - | - | | 0.42% |
| Flathead Sole - Bering Sea and Aleutian Islands | 0.87% | | | - | 0.87% | 1.04% | - | - | | 1.04% |
| Greenland Turbot - Aleutian Islands | - | | | - | - | - | - | - | | - |
| Greenland Turbot - Bering Sea | 0.29% | | | - | 0.29% | 0.29% | - | - | | 0.29% |
| Other Species - Bering Sea and Aleutian Islands | 0.45% | | | - | 0.45% | 0.48% | - | - | | 0.48% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | - | | | - | - | - | - | - | | - |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | | | - | - | - | - | - | | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 4.72% | | | - | 4.72% | 4.92% | - | - | | 4.92% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | | | - | - | - | - | - | | - |
| Pacific Ocean Perch - Bering Sea | 0.04% | | | - | 0.04% | 0.17% | - | - | | 0.17% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | | | - | - | - | - | - | | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | | | - | - | - | - | - | | - |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | | | - | - | - | - | - | | - |
| Other Rockfish - Aleutian Islands | - | | | - | - | - | - | - | | - |
| Other Rockfish - Bering Sea | 0.51% | | | - | 0.51% | 0.51% | - | - | | 0.51% |
| Rock Sole - Bering Sea and Aleutian Islands | 0.39% | | | - | 0.39% | 0.44% | - | - | | 0.44% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | | | - | - | - | - | - | | - |
| Sablefish (Fixed Gear) - Bering Sea | - | | | - | - | - | - | - | | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 2.77% | | | - | 2.77% | 2.77% | - | - | | 2.77% |
| Sablefish (Trawl Gear) - Bering Sea | - | | | - | - | - | - | - | | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | | | - | - | - | - | - | | - |
| Squid - Bering Sea and Aleutian Islands | - | | | - | - | 0.48% | - | - | | 0.48% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | | | - | - | - | - | - | | - |
| Other Red Rockfish - Bering Sea | 0.26% | | | - | 0.26% | 0.26% | - | - | | 0.26% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 0.07% | | | - | 0.07% | 0.07% | - | - | | 0.07% |
| Source: Alaska Department of Fish and Game fish ticket data: National Marine Fisher | ac Carrian abcorre | doto | | | | | | | | • |

Append2.xls\TABLE_15 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 16: BSAI Catch of All Eligible Catcher Vessels in the Mothership Sector Prior to February 1 (1995-97)

| | Non | -Pollock Targ | et Fisheries | All Fisheries | | | | |
|---|--------------|---------------|--------------------|---------------|--------------|----------------|--|--|
| Species by TAC Grouping | AFA CV H | Harvests | Total Catch in | AFA CV | Harvests | Total Catch in | | |
| species by TAC Grouping | CV to IN/MS | CV to MS | Non-Plck Fisheries | CV to IN/MS | CV to MS | All Fisheries | | |
| | (11 Vessels) | (10 Vessels) | (21 Vessels) | (11 Vessels) | (10 Vessels) | (21 Vessels) | | |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | - | | |
| Atka Mackerel - Eastern Aleutian Islands | - | - | - | - | - | - | | |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | | |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | - | - | - | 13 | 12 | 25 | | |
| Other Flatfish - Bering Sea and Aleutian Islands | - | - | - | 5 | 4 | 9 | | |
| Flathead Sole - Bering Sea and Aleutian Islands | - | - | - | 24 | 22 | 46 | | |
| Greenland Turbot - Aleutian Islands | - | - | - | - | - | - | | |
| Greenland Turbot - Bering Sea | - | - | - | 1 | 1 | 2 | | |
| Other Species - Bering Sea and Aleutian Islands | - | - | - | 10 | 9 | 19 | | |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | | |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | | |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | - | - | - | 103 | 70 | 173 | | |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | | |
| Pacific Ocean Perch - Bering Sea | - | - | - | 1 | 1 | 2 | | |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | | |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | | |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | | |
| Other Rockfish - Aleutian Islands | - | - | - | - | - | - | | |
| Other Rockfish - Bering Sea | - | - | - | - | - | - | | |
| Rock Sole - Bering Sea and Aleutian Islands | - | - | - | 76 | 47 | 123 | | |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | | |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | | |
| Sablefish (Trawl Gear) - Aleutian Islands | - | - | - | - | - | - | | |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | | |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | - | - | - | - | - | | |
| Squid - Bering Sea and Aleutian Islands | - | - | - | 2 | 1 | 3 | | |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | | |
| Other Red Rockfish - Bering Sea | - | - | - | - | - | - | | |
| Yellowfin Sole - Bering Sea and Aleutian Islands | - | - | - | 2 | 1 | 3 | | |

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 17: Percent of BSAI TAC Harvested by All Eligible Catcher Vessels in the Mothership Sector Prior to February 1 (1995-97)

| | Non-Pollock Targ | et Fisheries | All Fisheries | | | |
|---|---------------------------|--------------------|----------------------|--------------------|--|--|
| Species by TAC Grouping | AFA CV Harvests | Total Catch in | AFA CV Harvests | Total Catch in | | |
| species by TAC Grouping | CV to IN/MS CV to MS | Non-Plck Fisheries | CV to IN/MS CV to | MS All Fisheries | | |
| | (11 Vessels) (10 Vessels) | (21 Vessels) | (11 Vessels) (10 Ves | sels) (21 Vessels) | | |
| Atka Mackerel - Central Aleutian Islands | | - | - | | | |
| Atka Mackerel - Eastern Aleutian Islands | | - | - | | | |
| Atka Mackerel - Western Aleutian Islands | | - | - | | | |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | | - | 0.04% 0. | 03% 0.07% | | |
| Other Flatfish - Bering Sea and Aleutian Islands | | - | 0.01% | - 0.01% | | |
| Flathead Sole - Bering Sea and Aleutian Islands | | - | 0.03% 0. | 0.06% | | |
| Greenland Turbot - Aleutian Islands | | - | - | | | |
| Greenland Turbot - Bering Sea | | - | 0.01% 0. | 01% 0.02% | | |
| Other Species - Bering Sea and Aleutian Islands | | - | 0.02% 0. | 01% 0.03% | | |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | | - | - | - | | |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | | - | - | | | |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | | - | 0.16% 0. | 11% 0.27% | | |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | | - | - | - | | |
| Pacific Ocean Perch - Bering Sea | | - | 0.02% 0. | 02% 0.04% | | |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | | - | - | | | |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | | - | - | - | | |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | | - | - | - | | |
| Other Rockfish - Aleutian Islands | | - | - | | | |
| Other Rockfish - Bering Sea | | - | - | | | |
| Rock Sole - Bering Sea and Aleutian Islands | | - | 0.04% 0. | 02% 0.06% | | |
| Sablefish (Fixed Gear) - Aleutian Islands | | - | - | | | |
| Sablefish (Fixed Gear) - Bering Sea | | - | - | | | |
| Sablefish (Trawl Gear) - Aleutian Islands | | - | - | - | | |
| Sablefish (Trawl Gear) - Bering Sea | | - | - | - | | |
| Sharpchin/Northern Rockfish - Aleutian Islands | | - | - | | | |
| Squid - Bering Sea and Aleutian Islands | | - | 0.05% 0. | 0.08% | | |
| Shortraker/Rougheye Rockfish - Aleutian Islands | | - | - | | | |
| Other Red Rockfish - Bering Sea | | - | - | | | |
| Yellowfin Sole - Bering Sea and Aleutian Islands | | - | | - | | |

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 18: Percent of BSAI Catch Harvested by All Eligible Catcher Vessels in the Mothership Sector Prior to February 1 (1995-97)

| | Non-Pollock Targe | et Fisheries | All Fisheries | | | |
|---|---------------------------|--------------------|---------------|--------------|----------------|--|
| Species by TAC Grouping | AFA CV Harvests | Total Catch in | AFA CV H | arvests | Total Catch in | |
| species by TAC Grouping | CV to IN/MS CV to MS | Non-Plck Fisheries | CV to IN/MS | CV to MS | All Fisheries | |
| | (11 Vessels) (10 Vessels) | (21 Vessels) | (11 Vessels) | (10 Vessels) | (21 Vessels) | |
| Atka Mackerel - Central Aleutian Islands | | - | - | - | - | |
| Atka Mackerel - Eastern Aleutian Islands | | - | - | - | - | |
| Atka Mackerel - Western Aleutian Islands | | - | - | - | - | |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | | - | 0.04% | 0.04% | 0.08% | |
| Other Flatfish - Bering Sea and Aleutian Islands | | - | 0.01% | 0.01% | 0.02% | |
| Flathead Sole - Bering Sea and Aleutian Islands | | - | 0.05% | 0.04% | 0.09% | |
| Greenland Turbot - Aleutian Islands | | - | - | - | - | |
| Greenland Turbot - Bering Sea | | - | 0.01% | 0.01% | 0.02% | |
| Other Species - Bering Sea and Aleutian Islands | | - | 0.01% | 0.01% | 0.02% | |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | | - | - | - | - | |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | | - | - | - | - | |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | | - | 0.16% | 0.11% | 0.27% | |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | | - | - | - | - | |
| Pacific Ocean Perch - Bering Sea | | - | 0.02% | 0.02% | 0.04% | |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | | - | - | - | - | |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | | - | - | - | - | |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | | - | - | - | - | |
| Other Rockfish - Aleutian Islands | | - | - | - | - | |
| Other Rockfish - Bering Sea | | - | - | - | - | |
| Rock Sole - Bering Sea and Aleutian Islands | | - | 0.04% | 0.03% | 0.07% | |
| Sablefish (Fixed Gear) - Aleutian Islands | | - | - | - | - | |
| Sablefish (Fixed Gear) - Bering Sea | | - | - | - | - | |
| Sablefish (Trawl Gear) - Aleutian Islands | | - | - | - | - | |
| Sablefish (Trawl Gear) - Bering Sea | | - | - | - | - | |
| Sharpchin/Northern Rockfish - Aleutian Islands | | - | - | - | - | |
| Squid - Bering Sea and Aleutian Islands | | - | 0.07% | 0.04% | 0.11% | |
| Shortraker/Rougheye Rockfish - Aleutian Islands | | - | - | - | - | |
| Other Red Rockfish - Bering Sea | | - | - | - | - | |
| Yellowfin Sole - Bering Sea and Aleutian Islands | | | | - | | |

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 19: Catch History of All Eligible Catcher Vessels in the Inshore Sector in the Bering Sea and Aleutian Islands for Selected Target Species (1995-97)

| | | | # of | | | | | | | |
|------------------|--|-------------|------------|-----------|---------------|---------|---------------|----------------|---------------|---------|
| Vessel Length | Targeted Species | Total Catch | Shoreside | Shoreside | Avg Catch per | | # of Offshore | | Avg Catch per | |
| | | | Deliveries | Catch | Delivery | Std Dev | Hauls | Offshore Catch | Haul | Std Dev |
| | Flathead Sole - Bering Sea and Aleutian Islands | 152.2 | 4 | 152.2 | 38.0 | 40.2 | - | - | - | - |
| Less than 100' | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 42,548.8 | 917 | 42,317.8 | 46.1 | 28.4 | 28 | 231.0 | 8.2 | 3.6 |
| Less than 100 | Rock Sole - Bering Sea and Aleutian Islands | 69.4 | 5 | 69.4 | 13.9 | 6.7 | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | 151.4 | 5 | 63.4 | 12.7 | - | 11 | 88.0 | 8.0 | 3.8 |
| | Flathead Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| 100'-124' | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 44,520.8 | 847 | 43,048.6 | 50.8 | 29.5 | 47 | 1,472.3 | 31.3 | 20.7 |
| 100-124 | Rock Sole - Bering Sea and Aleutian Islands | 39.4 | 1 | 39.4 | 39.4 | - | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | 8,661.7 | 68 | 8,661.7 | 127.4 | 79.6 | - | - | - | - |
| | Flathead Sole - Bering Sea and Aleutian Islands | 982.3 | 2 | 982.3 | 491.2 | 666.2 | - | - | - | - |
| 125' and Greater | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 32,131.8 | 382 | 23,071.2 | 60.4 | 37.0 | 595 | 9,060.6 | 15.2 | 14.4 |
| 125 and Gleater | Rock Sole - Bering Sea and Aleutian Islands | 456.8 | 8 | 453.6 | 56.7 | 37.9 | 1 | 3.2 | 3.2 | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | 23,223.0 | 114 | 23,041.6 | 202.1 | 128.4 | 39 | 181.4 | 4.7 | 3.4 |

Table 20: Catch History of All Eligible Catcher Vessels in the Inshore / Mothership Sector in the Bering Sea and Aleutian Islands for Selected Target Species (1995-97)

| Vessel Length | Targeted Species | Total Catch | # of Shoreside | Shoreside | Avg Catch per | | # of Offshore | | Avg Catch per | |
|------------------|--|-------------|-------------------|-----------|---------------|---------|---------------|----------------|---------------|---------|
| 8 | | | Deliveries | Catch | Delivery | Std Dev | Hauls | Offshore Catch | | Std Dev |
| | Flathead Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 3,275.9 | 31 | 1,428.4 | 46.1 | 18.7 | 104 | 1,847.5 | 17.8 | 12.3 |
| Less than 100 | Rock Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | 205.1 | - | - | - | - | 18 | 205.1 | 11.4 | 6.9 |
| | Flathead Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| 100'-124' | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 6,883.3 | 96 | 5,229.5 | 54.5 | 31.0 | 114 | 1,653.8 | 14.5 | 12.1 |
| 100-124 | Rock Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | 3,585.7 | 16 | 2,946.0 | 184.1 | 72.1 | 51 | 639.8 | 12.5 | 7.3 |
| | Flathead Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| 125' and Greater | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| 125 and Oreater | Rock Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |

Table 21: Catch History of All Eligible Catcher Vessels in the Mothership Sector in the Bering Sea and Aleutian Islands for Selected Target Species (1995-97)

| | | | # of | | | | | | | |
|------------------|--|-------------|------------|-----------|---------------|---------|---------------|----------|-----------|---------|
| Vessel Length | Targeted Species | Total Catch | Shoreside | Shoreside | Avg Catch per | | # of Offshore | Offshore | Avg Catch | |
| | | | Deliveries | Catch | Delivery | Std Dev | Hauls | Catch | per Haul | Std Dev |
| | Flathead Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| Less than 100' | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 1,624.0 | 23 | 851.2 | 37.0 | 15.0 | 66 | 772.8 | 11.7 | 11.0 |
| Less than 100 | Rock Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Flathead Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| 100'-124' | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 4,865.8 | 84 | 4,360.6 | 51.9 | 24.8 | 39 | 505.2 | 13.0 | 10.8 |
| 100-124 | Rock Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | 842.7 | - | - | - | - | 64 | 842.7 | 13.2 | 8.0 |
| | Flathead Sole - Bering Sea and Aleutian Islands | 1.1 | - | - | - | - | 1 | 1.1 | 1.1 | - |
| 125' and Greater | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 301.2 | 7 | 301.2 | 43.0 | 12.0 | - | - | - | - |
| 125 and Greater | Rock Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |

Table 22: Catch History of All Eligible Catcher Vessels in the Catcher / Processor Sector in the Bering Sea and Aleutian Islands for Selected Target Species (1995-97)

| Wassal V smadb | Township Consider | Total Catch | # of Shoreside | C1: -1- | A C-+-h | | # of Offshore | Offshore | Assa Catala | |
|------------------|--|-------------|-------------------|-----------|---------------|---------|---------------|----------|-------------|---------|
| Vessel Length | Targeted Species | Total Catch | | Shoreside | Avg Catch per | | | | Avg Catch | ~ |
| | | | Deliveries | Catch | Delivery | Std Dev | Hauls | Catch | per Haul | Std Dev |
| | Flathead Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| Less than 100' | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 2,732.3 | 7 | 201.7 | 28.8 | 19.4 | 127 | 2,530.6 | 19.9 | 16.9 |
| Less than 100 | Rock Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | 107.6 | - | - | - | - | 13 | 107.6 | 8.3 | 8.8 |
| | Flathead Sole - Bering Sea and Aleutian Islands | 2.3 | - | - | - | - | 1 | 2.3 | 2.3 | - |
| 100'-124' | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | 6,224.7 | 46 | 2,104.6 | 45.8 | 29.3 | 254 | 4,120.1 | 16.2 | 14.0 |
| 100-124 | Rock Sole - Bering Sea and Aleutian Islands | 5.5 | - | - | - | - | 1 | 5.5 | 5.5 | #DIV/0! |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | 439.6 | - | - | - | - | 44 | 439.6 | 10.0 | 6.2 |
| | Flathead Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| 125' and Greater | Pacific Cod (Trawl Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| 125 and Greater | Rock Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |
| | Yellowfin Sole - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - |

Table 23: Catch of Pacific Cod in the BSAI Prior to March 1 for AFA Catcher Vessels, by Vessels with a Majority of non-Pollock Catch in A Seasons (1995-97)

| | | | Non | -Pollock Target | Fisheries | | | | All Fisheries | | |
|------------------|---------------------|--------------|-----------------|-----------------|-----------|---------------------|-------------|-----------------|---------------|----------|----------------|
| Pacific (| Cod (Trawl Gear) | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Total Catch in Non- | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Total Catch in |
| | | C V IIISHOTE | C V to IIV/IVIS | C V to IVIS | CVIOCI | Plck Fisheries | C v Hishore | C V to IIV/IVIS | C V to IVIS | CVIOCI | All Fisheries |
| Pollock majority | Catch (metric tons) | 3,261 | 205 | - | 78 | 3,544 | 11,404 | 1,756 | 1,019 | 1,190 | 15,369 |
| (111 vessels) | Percent of TAC | 1.01% | 0.06% | - | 0.02% | 1.10% | 3.53% | 0.54% | 0.32% | 0.37% | 4.75% |
| (TTT VESSEIS) | Percent of catch | 1.10% | 0.07% | - | 0.03% | 1.20% | 3.85% | 0.59% | 0.34% | 0.40% | 5.19% |
| Pcod majority | Catch (metric tons) | 14,953 | - | - | 1 | 14,953 | 15,156 | - | - | | 15,156 |
| (7 vessels) | Percent of TAC | 4.62% | - | - | - | 4.62% | 4.69% | - | - | - | 4.69% |
| (7 VESSEIS) | Percent of catch | 5.05% | - | - | - | 5.05% | 5.12% | - | - | - | 5.12% |

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 24: 1st Qarter Percentage of AFA Catcher Vessels' Catch in the Bering Sea and Aleutian Islands (1995-97)

| | | Non | Pollock Targe | t Fisheries | | | | All Fisheries | | |
|---|--------------|--------------|---------------|-------------|--------------------|--------------|--------------|---------------|-------------|----------------|
| pecies by TAC Grouping | | AFA CV I | Iarvests | | Total Catch in | | AFA CV | Harvests | | Total Catch in |
| secies by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (92 Vessels) | (14 Vessels) | (7 Vessels) | (7 Vessels) | (120 Vessels) | (92 Vessels) | (14 Vessels) | (7 Vessels) | (7 Vessels) | (120 Vessels) |
| tka Mackerel - Central Aleutian Islands | - | 100% | - | - | 100% | 100% | 100% | - | - | 100% |
| tka Mackerel - Eastern Aleutian Islands | 0% | 75% | 100% | 90% | 47% | 1% | 64% | 100% | 91% | 5% |
| tka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| rrowtooth Flounder - Bering Sea and Aleutian Islands | 46% | 66% | 80% | 55% | 53% | 41% | 41% | 45% | 46% | 42% |
| ther Flatfish - Bering Sea and Aleutian Islands | 44% | 33% | 36% | 28% | 42% | 40% | 35% | 35% | 28% | 38% |
| athead Sole - Bering Sea and Aleutian Islands | 68% | 54% | 46% | 53% | 66% | 61% | 53% | 51% | 53% | 59% |
| reenland Turbot - Aleutian Islands | 100% | - | - | 100% | 92% | 100% | - | - | 90% | 93% |
| reenland Turbot - Bering Sea | 3% | 0% | 0% | 3% | 3% | 5% | 19% | 22% | 4% | 6% |
| ther Species - Bering Sea and Aleutian Islands | 52% | 54% | 34% | 67% | 52% | 51% | 50% | 38% | 62% | 51% |
| acific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 17% | 0% | - | 82% | 62% | 17% | 0% | - | 82% | 62% |
| acific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 67% | 43% | 50% | 85% | 66% | 68% | 47% | 54% | 82% | 67% |
| Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| ncific Ocean Perch - Bering Sea | 46% | 67% | - | 67% | 56% | 1% | 27% | 29% | 44% | 3% |
| Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | 100% | - | - | - | 100% |
| Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | 100% | - | - | 100% | 100% | 100% | - | - | 100% | 100% |
| Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| ther Rockfish - Aleutian Islands | - | 100% | - | 100% | 100% | 100% | 100% | - | 100% | 100% |
| ther Rockfish - Bering Sea | 14% | - | - | 50% | 19% | 24% | 50% | - | 50% | 28% |
| ock Sole - Bering Sea and Aleutian Islands | 62% | 55% | 50% | 59% | 61% | 63% | 68% | 63% | 66% | 64% |
| ablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| ablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| ablefish (Trawl Gear) - Aleutian Islands | 2% | 0% | - | 33% | 3% | 1% | 50% | - | 33% | 4% |
| ablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| narpchin/Northern Rockfish - Aleutian Islands | 100% | 92% | - | 100% | 94% | 100% | 92% | - | 100% | 95% |
| quid - Bering Sea and Aleutian Islands | 16% | - | - | - | 16% | 5% | 22% | 22% | 14% | 6% |
| nortraker/Rougheye Rockfish - Aleutian Islands | - | - | | - | = | 100% | - | | - | 100% |
| ther Red Rockfish - Bering Sea | 92% | 64% | 100% | 86% | 87% | 81% | 69% | 75% | 80% | 79% |
| ellowfin Sole - Bering Sea and Aleutian Islands | 36% | 38% | 47% | 42% | 37% | 36% | 40% | 46% | 41% | 37% |

Append2.xls\TABLE_24 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 25: 2nd Quarter Percentage of Catcher Vessels' Catch in the Bering Sea and Aleutian Islands (1995-97)

| | | Non | -Pollock Targe | t Fisheries | | | | All Fisheries | | |
|---|--------------|--------------|----------------|-------------|--------------------|--------------|--------------|---------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV I | Iarvests | | Total Catch in | | AFA CV | Harvests | | Total Catch in |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (92 Vessels) | (14 Vessels) | (7 Vessels) | (7 Vessels) | (120 Vessels) | (92 Vessels) | (14 Vessels) | (7 Vessels) | (7 Vessels) | (120 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | 0% | - | - | 0% | 0% | 0% | - | - | 0% |
| Atka Mackerel - Eastern Aleutian Islands | 93% | 13% | 0% | 10% | 47% | 7% | 9% | 0% | 9% | 7% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 54% | 18% | 11% | 36% | 43% | 42% | 4% | 4% | 22% | 23% |
| Other Flatfish - Bering Sea and Aleutian Islands | 53% | 53% | 61% | 52% | 53% | 42% | 46% | 50% | 49% | 43% |
| Flathead Sole - Bering Sea and Aleutian Islands | 30% | 34% | 50% | 36% | 31% | 24% | 13% | 24% | 20% | 22% |
| Greenland Turbot - Aleutian Islands | 0% | - | - | 11% | 8% | 0% | - | - | 10% | 7% |
| Greenland Turbot - Bering Sea | 96% | 100% | 100% | 92% | 96% | 79% | 35% | 44% | 80% | 77% |
| Other Species - Bering Sea and Aleutian Islands | 44% | 39% | 64% | 24% | 43% | 40% | 23% | 44% | 18% | 37% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 30% | 100% | - | 0% | 13% | 30% | 100% | - | 0% | 13% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 33% | 57% | 48% | 15% | 34% | 30% | 46% | 40% | 13% | 30% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 31% | 0% | - | 0% | 22% | 1% | 0% | 0% | 0% | 1% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | 0% | - | - | - | 0% |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | 0% | - | - | 0% | 0% | 0% | - | - | 0% | 0% |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | 0% | - | 0% | 0% | 0% | 0% | - | 0% | 0% |
| Other Rockfish - Bering Sea | 86% | - | - | 50% | 81% | 39% | 0% | - | 33% | 37% |
| Rock Sole - Bering Sea and Aleutian Islands | 37% | 40% | 49% | 37% | 38% | 35% | 21% | 31% | 25% | 33% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 96% | 100% | - | 67% | 95% | 78% | 50% | - | 67% | 77% |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | 0% | 8% | - | 0% | 6% | 0% | 8% | - | 0% | 5% |
| Squid - Bering Sea and Aleutian Islands | 16% | - | - | - | 16% | 0% | 0% | 0% | 0% | 0% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | 0% | - | - | - | 0% |
| Other Red Rockfish - Bering Sea | 8% | 9% | 0% | 14% | 9% | 7% | 8% | 0% | 10% | 7% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 62% | 39% | 8% | 38% | 58% | 62% | 36% | 8% | 36% | 57% |

Append2.xls\TABLE_25 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 26: 3rd Quarter Percentage of Catcher Vessels' Catch in the Bering Sea and Aleutian Islands (1995-97)

| | 1 | Non- | Pollock Targe | t Fisheries | | | | All Fisheries | | |
|---|--------------|--------------|---------------|-------------|--------------------|--------------|--------------|---------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV H | Iarvests | | Total Catch in | | AFA CV | Harvests | | Total Catch in |
| species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (92 Vessels) | (14 Vessels) | (7 Vessels) | (7 Vessels) | (120 Vessels) | (92 Vessels) | (14 Vessels) | (7 Vessels) | (7 Vessels) | (120 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | 0% | - | - | 0% | 0% | 0% | - | - | 0% |
| Atka Mackerel - Eastern Aleutian Islands | 0% | 13% | 0% | 0% | 3% | 91% | 27% | 0% | 0% | 87% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 0% | 14% | 7% | 4% | 3% | 11% | 37% | 32% | 20% | 23% |
| Other Flatfish - Bering Sea and Aleutian Islands | 1% | 8% | 4% | 5% | 2% | 7% | 11% | 10% | 6% | 8% |
| Flathead Sole - Bering Sea and Aleutian Islands | 0% | 11% | 3% | 7% | 1% | 7% | 25% | 18% | 18% | 10% |
| Greenland Turbot - Aleutian Islands | 0% | - | - | 0% | 0% | 0% | - | - | 0% | 0% |
| Greenland Turbot - Bering Sea | 0% | 0% | 0% | 5% | 0% | 11% | 42% | 33% | 13% | 12% |
| Other Species - Bering Sea and Aleutian Islands | 0% | 7% | 2% | 3% | 1% | 4% | 21% | 14% | 12% | 7% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 0% | 0% | - | 0% | 0% | 0% | 0% | - | 0% | 0% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 0% | 0% | 0% | 0% | 0% | 1% | 5% | 4% | 5% | 2% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 23% | 33% | - | 0% | 22% | 70% | 70% | 71% | 44% | 69% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | 0% | - | - | - | 0% |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | 0% | - | - | 0% | 0% | 0% | - | - | 0% | 0% |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | 0% | - | 0% | 0% | 0% | 0% | - | 0% | 0% |
| Other Rockfish - Bering Sea | 0% | - | - | 0% | 0% | 35% | 50% | - | 17% | 33% |
| Rock Sole - Bering Sea and Aleutian Islands | 0% | 5% | 1% | 2% | 0% | 1% | 9% | 5% | 6% | 2% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 2% | 0% | - | 0% | 2% | 14% | 0% | - | 0% | 14% |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | 0% | 0% | - | 0% | 0% | 0% | 0% | - | 0% | 0% |
| Squid - Bering Sea and Aleutian Islands | 68% | - | - | - | 68% | 77% | 73% | 78% | 86% | 77% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | 0% | - | - | - | 0% |
| Other Red Rockfish - Bering Sea | 0% | 27% | 0% | 0% | 4% | 8% | 23% | 25% | 10% | 12% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 1% | 23% | 44% | 16% | 5% | 2% | 23% | 46% | 17% | 6% |
| Source: Alaska Department of Fish and Game fish ticket data: National Marine Fish | 1 | 1. | | | | • | | | | |

Append2.xls\TABLE_26 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 27: 4th Quarter Percentage of Catcher Vessels' Catch in the Bering Sea and Aleutian Islands (1995-97)

| | | Non | -Pollock Targe | et Fisheries | | | | All Fisheries | | |
|---|--------------|--------------|----------------|--------------|--------------------|--------------|--------------|---------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV I | Iarvests | | Total Catch in | | AFA CV | Harvests | | Total Catch in |
| species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | Non-Plck Fisheries | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (92 Vessels) | (14 Vessels) | (7 Vessels) | (7 Vessels) | (120 Vessels) | (92 Vessels) | (14 Vessels) | (7 Vessels) | (7 Vessels) | (120 Vessels) |
| Atka Mackerel - Central Aleutian Islands | - | 0% | - | - | 0% | 0% | 0% | - | - | 0% |
| Atka Mackerel - Eastern Aleutian Islands | 7% | 0% | 0% | 0% | 3% | 2% | 0% | 0% | 0% | 1% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 0% | 3% | 2% | 3% | 1% | 6% | 18% | 19% | 11% | 12% |
| Other Flatfish - Bering Sea and Aleutian Islands | 2% | 6% | 0% | 15% | 4% | 11% | 9% | 6% | 17% | 11% |
| Flathead Sole - Bering Sea and Aleutian Islands | 1% | 1% | 1% | 4% | 1% | 8% | 9% | 7% | 8% | 8% |
| Greenland Turbot - Aleutian Islands | 0% | - | - | 0% | 0% | 0% | - | - | 0% | 0% |
| Greenland Turbot - Bering Sea | 1% | 0% | 0% | 0% | 1% | 5% | 4% | 0% | 2% | 4% |
| Other Species - Bering Sea and Aleutian Islands | 4% | 1% | 0% | 6% | 3% | 5% | 6% | 5% | 7% | 5% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 53% | 0% | - | 18% | 25% | 53% | 0% | - | 18% | 25% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 0% | 0% | 2% | 0% | 0% | 1% | 1% | 2% | 1% | 1% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 0% | 0% | - | 0% | 0% | 28% | 3% | 0% | 11% | 27% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | 0% | - | - | - | 0% |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | 0% | - | - | 0% | 0% | 0% | - | - | 0% | 0% |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | 0% | - | 0% | 0% | 0% | 0% | - | 0% | 0% |
| Other Rockfish - Bering Sea | 0% | - | - | 0% | 0% | 2% | 0% | - | 0% | 2% |
| Rock Sole - Bering Sea and Aleutian Islands | 1% | 1% | 0% | 2% | 1% | 1% | 2% | 1% | 3% | 1% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 0% | 0% | - | 0% | 0% | 6% | 0% | - | 0% | 5% |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | 0% | 0% | - | 0% | 0% | 0% | 0% | - | 0% | 0% |
| Squid - Bering Sea and Aleutian Islands | 0% | - | - | - | 0% | 18% | 5% | 0% | 0% | 17% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | 0% | - | - | - | 0% |
| Other Red Rockfish - Bering Sea | 0% | 0% | 0% | 0% | 0% | 3% | 0% | 0% | 0% | 2% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 0% | 1% | 0% | 5% | 1% | 1% | 1% | 1% | 5% | 1% |

Append2.xls\TABLE_27 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 28: Quarterly Catch of Catcher Vessels in the Inshore Sector in the Bering Sea and Aleutian Islands (1995-97)

| Species by TAC Grouping | | Nor | - Plck Fish | eries | | All Fisheries | | | | |
|---|---------|---------|-------------|---------|-------|---------------|---------|---------|---------|-------|
| | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | 100% | 0% | 0% | 0% | 100% |
| Atka Mackerel - Eastern Aleutian Islands | 0% | 93% | 0% | 7% | 100% | 1% | 7% | 91% | 2% | 100% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 46% | 54% | 0% | 0% | 100% | 41% | 42% | 11% | 6% | 100% |
| Other Flatfish - Bering Sea and Aleutian Islands | 44% | 53% | 1% | 2% | 100% | 40% | 42% | 7% | 11% | 100% |
| Flathead Sole - Bering Sea and Aleutian Islands | 68% | 30% | 0% | 1% | 100% | 61% | 24% | 7% | 8% | 100% |
| Greenland Turbot - Aleutian Islands | 100% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| Greenland Turbot - Bering Sea | 3% | 96% | 0% | 1% | 100% | 5% | 79% | 11% | 5% | 100% |
| Other Species - Bering Sea and Aleutian Islands | 52% | 44% | 0% | 4% | 100% | 51% | 40% | 4% | 5% | 100% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 17% | 30% | 0% | 53% | 100% | 17% | 30% | 0% | 53% | 100% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 67% | 33% | 0% | 0% | 100% | 68% | 30% | 1% | 1% | 100% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 46% | 31% | 23% | 0% | 100% | 1% | 1% | 70% | 28% | 100% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | 100% | 0% | 0% | 0% | 100% |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | 100% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | - | - | - | - | 100% | 0% | 0% | 0% | 100% |
| Other Rockfish - Bering Sea | 14% | 86% | 0% | 0% | 100% | 24% | 39% | 35% | 2% | 100% |
| Rock Sole - Bering Sea and Aleutian Islands | 62% | 37% | 0% | 1% | 100% | 63% | 35% | 1% | 1% | 100% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 2% | 96% | 2% | 0% | 100% | 1% | 78% | 14% | 6% | 100% |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | 100% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| Squid - Bering Sea and Aleutian Islands | 16% | 16% | 68% | 0% | 100% | 5% | 0% | 77% | 18% | 100% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | 100% | 0% | 0% | 0% | 100% |
| Other Red Rockfish - Bering Sea | 92% | 8% | 0% | 0% | 100% | 81% | 7% | 8% | 3% | 100% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 36% | 62% | 1% | 0% | 100% | 36% | 62% | 2% | 1% | 100% |

Append2.xls\TABLE_28 1/20/2000

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 29: Quarterly Catch of Catcher Vessels in the Inshore / Mothership Sector in the Bering Sea and Aleutian Islands (1995-97)

| Species by TAC Grouping | | Noi | ı - Plck Fishe | ries | | | | All Fisheries | 3 | |
|---|---------|---------|----------------|---------|-------|---------|---------|---------------|---------|-------|
| | 1st Otr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total | 1st Otr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total |
| Atka Mackerel - Central Aleutian Islands | 100% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| Atka Mackerel - Eastern Aleutian Islands | 75% | 13% | 13% | 0% | 100% | 64% | 9% | 27% | 0% | 100% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 66% | 18% | 14% | 3% | 100% | 41% | 4% | 37% | 18% | 100% |
| Other Flatfish - Bering Sea and Aleutian Islands | 33% | 53% | 8% | 6% | 100% | 35% | 46% | 11% | 9% | 100% |
| Flathead Sole - Bering Sea and Aleutian Islands | 54% | 34% | 11% | 1% | 100% | 53% | 13% | 25% | 9% | 100% |
| Greenland Turbot - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Greenland Turbot - Bering Sea | 0% | 100% | 0% | 0% | 100% | 19% | 35% | 42% | 4% | 100% |
| Other Species - Bering Sea and Aleutian Islands | 54% | 39% | 7% | 1% | 100% | 50% | 23% | 21% | 6% | 100% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 0% | 100% | 0% | 0% | 100% | 0% | 100% | 0% | 0% | 100% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 43% | 57% | 0% | 0% | 100% | 47% | 46% | 5% | 1% | 100% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 67% | 0% | 33% | 0% | 100% | 27% | 0% | 70% | 3% | 100% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | 100% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| Other Rockfish - Bering Sea | - | - | - | - | - | 50% | 0% | 50% | 0% | 100% |
| Rock Sole - Bering Sea and Aleutian Islands | 55% | 40% | 5% | 1% | 100% | 68% | 21% | 9% | 2% | 100% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 0% | 100% | 0% | 0% | 100% | 50% | 50% | 0% | 0% | 100% |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | 92% | 8% | 0% | 0% | 100% | 92% | 8% | 0% | 0% | 100% |
| Squid - Bering Sea and Aleutian Islands | - | - | - | - | - | 22% | 0% | 73% | 5% | 100% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Other Red Rockfish - Bering Sea | 64% | 9% | 27% | 0% | 100% | 69% | 8% | 23% | 0% | 100% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 38% | 39% | 23% | 1% | 100% | 40% | 36% | 23% | 1% | 100% |

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 30: Quarterly Catch of Catcher Vessels in the Mothership Sector in the Bering Sea and Aleutian Islands (1995-97)

| Species by TAC Grouping | | Nor | ı - Plck Fishe | ries | | | | All Fisheries | | |
|---|---------|---------|----------------|---------|-------|---------|---------|---------------|---------|-------|
| | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total |
| Atka Mackerel - Central Aleutian Islands | - | , | - | | - | - | - | - | , | |
| Atka Mackerel - Eastern Aleutian Islands | 100% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 80% | 11% | 7% | 2% | 100% | 45% | 4% | 32% | 19% | 100% |
| Other Flatfish - Bering Sea and Aleutian Islands | 36% | 61% | 4% | 0% | 100% | 35% | 50% | 10% | 6% | 100% |
| Flathead Sole - Bering Sea and Aleutian Islands | 46% | 50% | 3% | 1% | 100% | 51% | 24% | 18% | 7% | 100% |
| Greenland Turbot - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Greenland Turbot - Bering Sea | 0% | 100% | 0% | 0% | 100% | 22% | 44% | 33% | 0% | 100% |
| Other Species - Bering Sea and Aleutian Islands | 34% | 64% | 2% | 0% | 100% | 38% | 44% | 14% | 5% | 100% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 50% | 48% | 0% | 2% | 100% | 54% | 40% | 4% | 2% | 100% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | - | - | - | - | - | 29% | 0% | 71% | 0% | 100% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Rock Sole - Bering Sea and Aleutian Islands | 50% | 49% | 1% | 0% | 100% | 63% | 31% | 5% | 1% | 100% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Squid - Bering Sea and Aleutian Islands | - | - | - | - | - | 22% | 0% | 78% | 0% | 100% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Other Red Rockfish - Bering Sea | 100% | 0% | 0% | 0% | 100% | 75% | 0% | 25% | 0% | 100% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 47% | 8% | 44% | 0% | 100% | 46% | 8% | 46% | 1% | 100% |

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 31: Quarterly Catch of Catcher Vessels in the Catcher / Processor Sector in the Bering Sea and Aleutian Islands (1995-97)

| Species by TAC Grouping | | Noi | n - Plck Fishe | ries | | | | All Fisheries | | |
|---|---------|---------|----------------|---------|-------|---------|---------|---------------|---------|-------|
| | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total |
| Atka Mackerel - Central Aleutian Islands | - | - | - | - | - | - | - | - | - | _ |
| Atka Mackerel - Eastern Aleutian Islands | 90% | 10% | 0% | 0% | 100% | 91% | 9% | 0% | 0% | 100% |
| Atka Mackerel - Western Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Arrowtooth Flounder - Bering Sea and Aleutian Islands | 56% | 37% | 4% | 3% | 100% | 46% | 22% | 20% | 11% | 100% |
| Other Flatfish - Bering Sea and Aleutian Islands | 28% | 52% | 5% | 15% | 100% | 28% | 49% | 6% | 17% | 100% |
| Flathead Sole - Bering Sea and Aleutian Islands | 53% | 36% | 7% | 4% | 100% | 53% | 20% | 18% | 8% | 100% |
| Greenland Turbot - Aleutian Islands | 90% | 10% | 0% | 0% | 100% | 90% | 10% | 0% | 0% | 100% |
| Greenland Turbot - Bering Sea | 3% | 92% | 5% | 0% | 100% | 4% | 80% | 13% | 2% | 100% |
| Other Species - Bering Sea and Aleutian Islands | 67% | 25% | 3% | 6% | 100% | 62% | 18% | 12% | 7% | 100% |
| Pacific Cod (Fixed Gear) - Bering Sea and Aleutian Islands | 82% | 0% | 0% | 18% | 100% | 82% | 0% | 0% | 18% | 100% |
| Pacific Cod (Jig Gear) - Bering Sea and Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| * Pacific Cod (Trawl Gear, Catcher Vessels) - BSAI (1997 only) | 85% | 15% | 0% | 0% | 100% | 82% | 13% | 5% | 1% | 100% |
| * Pacific Cod (Trawl Gear, Catcher Processor Vessels) - BSAI (1997 only) | - | - | - | - | - | - | - | - | - | - |
| Pacific Ocean Perch - Bering Sea | 100% | 0% | 0% | 0% | 100% | 44% | 0% | 44% | 11% | 100% |
| * Pacific Ocean Perch - Central Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| * Pacific Ocean Perch - Eastern Aleutian Islands (1996 through 1997 only) | 100% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| * Pacific Ocean Perch - Western Aleutian Islands (1996 through 1997 only) | - | - | - | - | - | - | - | - | - | - |
| Other Rockfish - Aleutian Islands | 100% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| Other Rockfish - Bering Sea | 50% | 50% | 0% | 0% | 100% | 50% | 33% | 17% | 0% | 100% |
| Rock Sole - Bering Sea and Aleutian Islands | 59% | 37% | 2% | 2% | 100% | 66% | 25% | 6% | 3% | 100% |
| Sablefish (Fixed Gear) - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Fixed Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sablefish (Trawl Gear) - Aleutian Islands | 33% | 67% | 0% | 0% | 100% | 33% | 67% | 0% | 0% | 100% |
| Sablefish (Trawl Gear) - Bering Sea | - | - | - | - | - | - | - | - | - | - |
| Sharpchin/Northern Rockfish - Aleutian Islands | 100% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| Squid - Bering Sea and Aleutian Islands | - | - | - | - | - | 14% | 0% | 86% | 0% | 100% |
| Shortraker/Rougheye Rockfish - Aleutian Islands | - | - | - | - | - | - | - | - | - | - |
| Other Red Rockfish - Bering Sea | 86% | 14% | 0% | 0% | 100% | 80% | 10% | 10% | 0% | 100% |
| Yellowfin Sole - Bering Sea and Aleutian Islands | 42% | 38% | 16% | 5% | 100% | 41% | 36% | 17% | 5% | 100% |

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 32: Catch of All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)

| | | | All Fisheries | | |
|---|--------------|-------------|---------------|-------------|----------------|
| Species by TAC Grouping | | AFA CV H | | | Total Catch in |
| species by The Glouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries |
| | (80 Vessels) | (9 Vessels) | (7 Vessels) | (6 Vessels) | (102 Vessels) |
| *Atka Mackerel - Central Gulf (1995 through 1996) | 7 | 2 | 0 | 1 | 10 |
| *Atka Mackerel - Gulf of Alaska (1997) | | - | | | - |
| *Atka Mackerel - Western Gulf (1995 through 1996) | 227 | - | 15 | 6 | 247 |
| Arrowtooth Flounder - Central Gulf | 7,028 | 55 | 166 | 435 | 7,683 |
| Arrowtooth Flounder - Eastern Gulf | 103 | | 23 | 3 | 129 |
| Arrowtooth Flounder - Western Gulf | 107 | 1 | 3 | 0 | 111 |
| Deep Water Flatfish - Central Gulf | 3,023 | | 143 | 26 | 3,193 |
| Deep Water Flatfish - Eastern Gulf | 88 | | 6 | 14 | 108 |
| Deep Water Flatfish - Western Gulf | 0 | | 0 | | 0 |
| Flathead Sole - Central Gulf | 1,139 | 1 | 17 | 125 | 1,281 |
| Flathead Sole - Eastern Gulf | 36 | | 1 | 6 | 42 |
| Flathead Sole - Western Gulf | 90 | 0 | 12 | 1 | 103 |
| Northern Rockfish - Central Gulf | 1,432 | | 28 | 4 | 1,464 |
| Northern Rockfish - Eastern Gulf | 5 | | 0 | - | 5 |
| Northern Rockfish - Western Gulf | 2 | | <u> </u> | | 2 |
| Other Species - Gulf of Alaska | 1,656 | 2 | 11 | 93 | 1,762 |
| Pacific Cod (Inshore) - Central Gulf | 27,148 | | 2,586 | 168 | 29,902 |
| Pacific Cod (Offshore) - Central Gulf | 27,140 | 37 | 314 | 386 | 737 |
| Pacific Cod (Inshore) - Eastern Gulf | 275 | 31 | 314 | 5 | 280 |
| Pacific Cod (Offshore) - Eastern Gulf | 213 | | | 0 | 0 |
| Pacific Cod (Inshore) - Western Gulf | 9,714 | | 2,105 | | 12,159 |
| Pacific Cod (Offshore) - Western Gulf | 9,714 | 13 | 109 | 340 527 | |
| ` ' | 120 | 0 | | | 648 |
| Pelagic Shelf Rockfish - Central Gulf | 438 | | 1 | 6 | 445 |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | 1 | - | - 1 | 0 | 1 |
| Pelagic Shelf Rockfish - Eastern Gulf | 0 | | 1 | 19 | 20 |
| Pelagic Shelf Rockfish - Western Gulf | 20.075 | - 10 | 0 | - 151 | 20.070 |
| Pollock - Chirikof District | 29,875 | 10 | 41 | 151 | 30,078 |
| Pollock - Eastern Gulf | 4,088 | | 1,037 | 166 | 5,291 |
| Pollock - Kodiak | 30,689 | 9 | 2,951 | 659 | 34,308 |
| Pollock - Shumagin District | 57,162 | 316 | 2,720 | 91 | 60,289 |
| Pacific Ocean Perch - Central Gulf | 3,560 | 7 | 199 | 107 | 3,872 |
| Pacific Ocean Perch - Eastern Gulf | 7 | | 1 | 146 | 153 |
| Pacific Ocan Perch - Western Gulf | 66 | - | 0 | - | 66 |
| Rex Sole - Central Gulf | 710 | 20 | 18 | 47 | 795 |
| Rex Sole - Eastern Gulf | 112 | | 8 | 9 | 129 |
| Rex Sole - Western Gulf | 14 | 0 | 0 | - | 14 |
| Slope Rockfish - Central Gulf | 17 | - | 3 | - | 20 |
| Slope Rockfish - Eastern Gulf | 0 | | 0 | 0 | 1 |
| Slope Rockfish - Western Gulf | 0 | - | 0 | - | 0 |
| Sablefish (Fixed Gear) - Central Gulf | 36 | | | | 36 |
| Sablefish (Fixed Gear) - Western Gulf | 0 | | - | - | 0 |
| Sablefish (Trawl Gear) - Central Gulf | 627 | 0 | 31 | 15 | 673 |
| Sablefish (Trawl Gear) - Southeast | - | | - | 1 | 1 |
| Sablefish (Trawl Gear) - Western Gulf | 4 | - | - | - | 4 |
| Sablefish (Trawl Gear) - Western Yakutat | 10 | | 0 | 11 | 20 |
| Shallow Water Flatfish - Central Gulf | 7,079 | 1 | 101 | 240 | 7,422 |
| Shallow Water Flatfish - Eastern Gulf | 12 | | 8 | 30 | 50 |
| Shallow Water Flatfish - Western Gulf | 338 | 0 | 18 | 32 | 388 |
| Shortraker / Rougheye - Central Gulf | 182 | - | 3 | 3 | 187 |
| Shortraker / Rougheye - Eastern Gulf | 7 | | 2 | 11 | 19 |
| Shortraker / Rougheye - Western Gulf | 1 | - | 0 | - | 1 |
| Thornyhead - Gulf of Alaska | 183 | 0 | 6 | 14 | 203 |

^{*} Denotes TAC groups that do not extend throughout entire time period.

Table 33: Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)

| | All Fisheries | | | | | | | |
|---|---------------|-------------|-------------|----------------|---------------|--|--|--|
| Species by TAC Grouping | | AFA CV I | | Total Catch in | | | | |
| species by The Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | All Fisheries | | | |
| | (80 Vessels) | (9 Vessels) | (7 Vessels) | (6 Vessels) | (102 Vessels) | | | |
| *Atka Mackerel - Central Gulf (1995 through 1996) | 1.80% | 0.51% | 0.03% | 0.16% | 2.50% | | | |
| *Atka Mackerel - Gulf of Alaska (1997) | - | - | - | - | | | | |
| *Atka Mackerel - Western Gulf (1995 through 1996) | 11.89% | - | 0.80% | 0.30% | 12.99% | | | |
| Arrowtooth Flounder - Central Gulf | 14.53% | 0.11% | 0.34% | 0.90% | 15.88% | | | |
| Arrowtooth Flounder - Eastern Gulf | 3.47% | - | 0.78% | 0.09% | 4.34% | | | |
| Arrowtooth Flounder - Western Gulf | 1.81% | 0.01% | 0.04% | - | 1.86% | | | |
| Deep Water Flatfish - Central Gulf | 46.49% | - | 2.21% | 0.40% | 49.10% | | | |
| Deep Water Flatfish - Eastern Gulf | 6.05% | - | 0.40% | 0.98% | 7.43% | | | |
| Deep Water Flatfish - Western Gulf | 0.16% | - | 0.02% | - | 0.18% | | | |
| Flathead Sole - Central Gulf | 20.11% | 0.02% | 0.30% | 2.20% | 22.63% | | | |
| Flathead Sole - Eastern Gulf | 18.82% | - | 0.35% | 3.02% | 22.19% | | | |
| Flathead Sole - Western Gulf | 4.86% | 0.02% | 0.65% | 0.06% | 5.59% | | | |
| Northern Rockfish - Central Gulf | 12.47% | - | 0.24% | 0.04% | 12.75% | | | |
| Northern Rockfish - Eastern Gulf | 5.69% | - | 0.06% | - | 5.75% | | | |
| Northern Rockfish - Western Gulf | 0.54% | - | - | - | 0.54% | | | |
| Other Species - Gulf of Alaska | 12.45% | 0.01% | 0.08% | 0.70% | 13.24% | | | |
| Pacific Cod (Inshore) - Central Gulf | 21.38% | - | 2.04% | 0.13% | 23.55% | | | |
| Pacific Cod (Offshore) - Central Gulf | - | 0.38% | 3.22% | 3.97% | 7.57% | | | |
| Pacific Cod (Inshore) - Eastern Gulf | 9.81% | - | - | 0.17% | 9.98% | | | |
| Pacific Cod (Offshore) - Eastern Gulf | - | - | - | 1.22% | 1.22% | | | |
| Pacific Cod (Inshore) - Western Gulf | 16.34% | - | 3.54% | 0.57% | 20.45% | | | |
| Pacific Cod (Offshore) - Western Gulf | - | 0.19% | 1.62% | 7.83% | 9.64% | | | |
| Pelagic Shelf Rockfish - Central Gulf | 24.80% | - | 0.05% | 0.36% | 25.21% | | | |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | 0.03% | - | - | - | 0.03% | | | |
| Pelagic Shelf Rockfish - Eastern Gulf | - | - | 0.08% | 1.40% | 1.48% | | | |
| Pelagic Shelf Rockfish - Western Gulf | 0.39% | - | - | - | 0.39% | | | |
| Pollock - Chirikof District | 51.25% | 0.02% | 0.07% | 0.26% | 51.60% | | | |
| Pollock - Eastern Gulf | 41.31% | - | 10.48% | 1.67% | 53.46% | | | |
| Pollock - Kodiak | 47.81% | 0.01% | 4.60% | 1.03% | 53.45% | | | |
| Pollock - Shumagin District | 70.71% | 0.39% | 3.36% | 0.11% | 74.57% | | | |
| Pacific Ocean Perch - Central Gulf | 24.63% | 0.05% | 1.37% | 0.74% | 26.79% | | | |
| Pacific Ocean Perch - Eastern Gulf | 0.13% | - | 0.02% | 2.95% | 3.10% | | | |
| Pacific Ocan Perch - Western Gulf | 1.55% | - | - | - | 1.55% | | | |
| Rex Sole - Central Gulf | 6.30% | 0.18% | 0.16% | 0.42% | 7.06% | | | |
| Rex Sole - Eastern Gulf | 20.60% | - | 1.55% | 1.57% | 23.72% | | | |
| Rex Sole - Western Gulf | 0.95% | - | 0.02% | - | 0.97% | | | |
| Slope Rockfish - Central Gulf | 0.71% | - | 0.11% | - | 0.82% | | | |
| Slope Rockfish - Eastern Gulf | - | - | 0.02% | 0.04% | 0.06% | | | |
| Slope Rockfish - Western Gulf | 0.21% | - | - | - | 0.21% | | | |
| Sablefish (Fixed Gear) - Central Gulf | 0.23% | - | - | - | 0.23% | | | |
| Sablefish (Fixed Gear) - Western Gulf | - | - | - | - | | | | |
| Sablefish (Trawl Gear) - Central Gulf | 13.09% | - | 0.66% | 0.32% | 14.07% | | | |
| Sablefish (Trawl Gear) - Southeast | - | - | - | 0.79% | 0.79% | | | |
| Sablefish (Trawl Gear) - Western Gulf | 2.92% | - | - | - | 2.92% | | | |
| Sablefish (Trawl Gear) - Western Yakutat | 1.40% | - | - | 1.53% | 2.93% | | | |
| Shallow Water Flatfish - Central Gulf | 33.26% | - | 0.48% | 1.13% | 34.87% | | | |
| Shallow Water Flatfish - Eastern Gulf | 14.55% | - | 9.07% | 35.71% | 59.33% | | | |
| Shallow Water Flatfish - Western Gulf | 27.82% | - | 1.49% | 2.64% | 31.95% | | | |
| Shortraker / Rougheye - Central Gulf | 5.88% | - | 0.08% | 0.09% | 6.05% | | | |
| Shortraker / Rougheye - Eastern Gulf | 0.35% | - | 0.09% | 0.58% | 1.02% | | | |
| Shortraker / Rougheye - Western Gulf | 0.33% | - | - | - | 0.33% | | | |
| Thornyhead - Gulf of Alaska | 5.33% | <u>-</u> | 0.18% | 0.40% | 5.91% | | | |

Table 34: 1st Quarter Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)

| | All Fisheries % of Sector's Total Catch % of Total | | | | | | | |
|--|---|---------------|---------------------------|-------------|----------------|--|--|--|
| Species by TAC Grouping | | % of Sector's | % of Sector's Total Catch | | | | | |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | by all Sectors | | | |
| | (80 Vessels) | (9 Vessels) | (7 Vessels) | (6 Vessels) | (102 Vessels) | | | |
| *Atka Mackerel - Central Gulf (1995 through 1996) | 71% | 100% | - | 100% | 80% | | | |
| *Atka Mackerel - Gulf of Alaska (1997) | - | - | - | - | - | | | |
| *Atka Mackerel - Western Gulf (1995 through 1996) | 4% | - | 0% | 100% | 6% | | | |
| Arrowtooth Flounder - Central Gulf | 12% | 0% | 1% | 0% | 11% | | | |
| Arrowtooth Flounder - Eastern Gulf | 10% | - | 4% | 0% | 9% | | | |
| Arrowtooth Flounder - Western Gulf | 66% | 0% | 33% | _ | 65% | | | |
| Deep Water Flatfish - Central Gulf | 12% | - | 0% | 0% | 11% | | | |
| Deep Water Flatfish - Eastern Gulf | 0% | | 0% | 0% | 0% | | | |
| Deep Water Flatfish - Western Gulf | - | | - | _ | _ | | | |
| Flathead Sole - Central Gulf | 18% | 0% | 0% | 0% | 16% | | | |
| Flathead Sole - Eastern Gulf | 0% | - | 0% | 0% | 0% | | | |
| Flathead Sole - Western Gulf | 80% | | 92% | 100% | 81% | | | |
| Northern Rockfish - Central Gulf | 3% | | 0% | 0% | 3% | | | |
| Northern Rockfish - Eastern Gulf | 0% | | 0 70 | 070 | 0% | | | |
| | | | - | - | | | | |
| Northern Rockfish - Western Gulf | 100% | - 00/ | 200/ | 100/ | 100% | | | |
| Other Species - Gulf of Alaska | 21% | 0% | 20% | 10% | 20% | | | |
| Pacific Cod (Inshore) - Central Gulf | 81% | - | 98% | 0% | 82% | | | |
| Pacific Cod (Offshore) - Central Gulf | - | 78% | 100% | 100% | 99% | | | |
| Pacific Cod (Inshore) - Eastern Gulf | 80% | - | - | 0% | 78% | | | |
| Pacific Cod (Offshore) - Eastern Gulf | - | - | - | - | - | | | |
| Pacific Cod (Inshore) - Western Gulf | 99% | | 100% | 100% | 99% | | | |
| Pacific Cod (Offshore) - Western Gulf | - | 0% | 94% | 100% | 97% | | | |
| Pelagic Shelf Rockfish - Central Gulf | 5% | - | - | 0% | 5% | | | |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | 0% | - | - | - | 0% | | | |
| Pelagic Shelf Rockfish - Eastern Gulf | - | - | 0% | 0% | 0% | | | |
| Pelagic Shelf Rockfish - Western Gulf | 100% | - | - | - | 100% | | | |
| Pollock - Chirikof District | 33% | 100% | 39% | 52% | 33% | | | |
| Pollock - Eastern Gulf | 100% | - | 100% | 98% | 100% | | | |
| Pollock - Kodiak | 21% | 0% | 3% | 0% | 19% | | | |
| Pollock - Shumagin District | 23% | 0% | 52% | 52% | 24% | | | |
| Pacific Ocean Perch - Central Gulf | 0% | 0% | 0% | 0% | 0% | | | |
| Pacific Ocean Perch - Eastern Gulf | 43% | - | 0% | 0% | 2% | | | |
| Pacific Ocan Perch - Western Gulf | 0% | - | - | - | 0% | | | |
| Rex Sole - Central Gulf | 11% | 0% | 0% | 0% | 9% | | | |
| Rex Sole - Eastern Gulf | 1% | _ | 0% | 0% | 1% | | | |
| Rex Sole - Western Gulf | 87% | _ | - | _ | 87% | | | |
| Slope Rockfish - Central Gulf | 33% | _ | 0% | _ | 30% | | | |
| Slope Rockfish - Eastern Gulf | _ | _ | _ | _ | - | | | |
| Slope Rockfish - Western Gulf | _ | | _ | _ | | | | |
| Sablefish (Fixed Gear) - Central Gulf | 0% | _ | _ | _ | 0% | | | |
| Sablefish (Fixed Gear) - Western Gulf | - | | _ | _ | | | | |
| Sablefish (Trawl Gear) - Central Gulf | 4% | | 0% | 0% | 3% | | | |
| Sablefish (Trawl Gear) - Southeast | 470 | | - | 0% | 0% | | | |
| Sablefish (Trawl Gear) - Southeast Sablefish (Trawl Gear) - Western Gulf | 75% | | <u>-</u> | 0 70 | 75% | | | |
| Sablefish (Trawl Gear) - Western Yakutat | 0% | | | 0% | 0% | | | |
| Shallow Water Flatfish - Central Gulf | 29% | 100% | 18% | | 28% | | | |
| | | 100% | | 3% | | | | |
| Shallow Water Flatfish - Eastern Gulf | 31% | - | 0% | 3% | 10% | | | |
| Shallow Water Flatfish - Western Gulf | 37% | - | 89% | 100% | 45% | | | |
| Shortraker / Rougheye - Central Gulf | 6% | - | 0% | 0% | 5% | | | |
| Shortraker / Rougheye - Eastern Gulf | 67% | - | 50% | 0% | 26% | | | |
| Shortraker / Rougheye - Western Gulf | 0% | - | - | - | 0% | | | |
| Thornyhead - Gulf of Alaska | 9% | - | 0% | 0% | 8% | | | |

Table 35: 2nd Quarter Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)

| | All Fisheries | | | | | | |
|---|---------------|---------------|-------------|------------------|----------------|--|--|
| Species by TAC Grouping | | % of Sector's | | % of Total Catch | | | |
| Species by TAC Glouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | by all Sectors | | |
| | (80 Vessels) | (9 Vessels) | (7 Vessels) | (6 Vessels) | (102 Vessels) | | |
| *Atka Mackerel - Central Gulf (1995 through 1996) | 0% | 0% | - | 0% | 0% | | |
| *Atka Mackerel - Gulf of Alaska (1997) | - | - | - | - | - | | |
| *Atka Mackerel - Western Gulf (1995 through 1996) | 56% | - | 100% | 0% | 57% | | |
| Arrowtooth Flounder - Central Gulf | 24% | 100% | 75% | 54% | 27% | | |
| Arrowtooth Flounder - Eastern Gulf | 0% | - | 96% | 0% | 17% | | |
| Arrowtooth Flounder - Western Gulf | 3% | 0% | 0% | - | 3% | | |
| Deep Water Flatfish - Central Gulf | 70% | - | 94% | 72% | 71% | | |
| Deep Water Flatfish - Eastern Gulf | 0% | _ | 100% | 0% | 6% | | |
| Deep Water Flatfish - Western Gulf | _ | _ | _ | - | - | | |
| Flathead Sole - Central Gulf | 34% | 100% | 25% | 52% | 36% | | |
| Flathead Sole - Eastern Gulf | 0% | - | 100% | 0% | 2% | | |
| Flathead Sole - Western Gulf | 0% | _ | 0% | 0% | 0% | | |
| Northern Rockfish - Central Gulf | 2% | _ | 0% | 0% | 2% | | |
| Northern Rockfish - Eastern Gulf | 0% | | - | | 0% | | |
| Northern Rockfish - Western Gulf | 0% | | | | 0% | | |
| Other Species - Gulf of Alaska | 34% | 100% | 70% | 72% | 36% | | |
| Pacific Cod (Inshore) - Central Gulf | 3% | 10070 | 1% | 36% | 3% | | |
| Pacific Cod (Offshore) - Central Gulf | 370 | 22% | 0% | 0% | 1% | | |
| Pacific Cod (Inshore) - Central Gulf | 0% | | - 070 | 0% | 0% | | |
| Pacific Cod (Offshore) - Eastern Gulf | - 0% | - | | 0% | 0% | | |
| ` ' | | - | - | - 00/ | 10/ | | |
| Pacific Cod (Inshore) - Western Gulf | 1% | - 00/ | 0% | 0% | 1% | | |
| Pacific Cod (Offshore) - Western Gulf | - 00/ | 0% | 0% | 0% | 0% | | |
| Pelagic Shelf Rockfish - Central Gulf | 0% | - | - | 17% | 0% | | |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | 0% | - | 1000/ | - | 0% | | |
| Pelagic Shelf Rockfish - Eastern Gulf | - | - | 100% | 0% | 5% | | |
| Pelagic Shelf Rockfish - Western Gulf | 0% | - | - | - | 0% | | |
| Pollock - Chirikof District | 19% | 0% | 61% | 48% | 19% | | |
| Pollock - Eastern Gulf | 0% | - | 0% | 0% | 0% | | |
| Pollock - Kodiak | 20% | 100% | 48% | 66% | 23% | | |
| Pollock - Shumagin District | 16% | 0% | 15% | 48% | 16% | | |
| Pacific Ocean Perch - Central Gulf | 1% | 100% | 14% | 0% | 2% | | |
| Pacific Ocean Perch - Eastern Gulf | 0% | - | 100% | 0% | 1% | | |
| Pacific Ocan Perch - Western Gulf | 0% | - | - | - | 0% | | |
| Rex Sole - Central Gulf | 24% | 100% | 50% | 69% | 29% | | |
| Rex Sole - Eastern Gulf | 0% | - | 100% | 0% | 6% | | |
| Rex Sole - Western Gulf | 0% | - | _ | - | 0% | | |
| Slope Rockfish - Central Gulf | 22% | - | 0% | - | 20% | | |
| Slope Rockfish - Eastern Gulf | - | - | - | - | - | | |
| Slope Rockfish - Western Gulf | - | - | - | - | - | | |
| Sablefish (Fixed Gear) - Central Gulf | 78% | _ | - | - | 78% | | |
| Sablefish (Fixed Gear) - Western Gulf | - | - | - | - | | | |
| Sablefish (Trawl Gear) - Central Gulf | 27% | - | 28% | 19% | 27% | | |
| Sablefish (Trawl Gear) - Southeast | - | - | - | 0% | 0% | | |
| Sablefish (Trawl Gear) - Western Gulf | 0% | - | - | - | 0% | | |
| Sablefish (Trawl Gear) - Western Yakutat | 0% | - | - | 0% | 0% | | |
| Shallow Water Flatfish - Central Gulf | 24% | 0% | 45% | 38% | 25% | | |
| Shallow Water Flatfish - Eastern Gulf | 15% | - | 100% | 0% | 19% | | |
| Shallow Water Flatfish - Western Gulf | 59% | - | 0% | 0% | 51% | | |
| Shortraker / Rougheye - Central Gulf | 39% | - | 100% | 67% | 40% | | |
| Shortraker / Rougheye - Eastern Gulf | 0% | _ | 50% | 0% | 5% | | |
| Shortraker / Rougheye - Western Gulf | 0% | - | - | | 0% | | |
| Thornyhead - Gulf of Alaska | 52% | | 71% | 7% | 49% | | |

Table 36: 3rd Quarter Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)

| | | | All Fisheries | | |
|---|--------------|---------------|---------------|-------------|------------------|
| Smaring by TAC Crowning | | % of Sector's | Total Catch | | % of Total Catch |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | by all Sectors |
| | (80 Vessels) | (9 Vessels) | (7 Vessels) | (6 Vessels) | (102 Vessels) |
| *Atka Mackerel - Central Gulf (1995 through 1996) | 29% | 0% | - | 0% | 20% |
| *Atka Mackerel - Gulf of Alaska (1997) | - | - | - | - | - |
| *Atka Mackerel - Western Gulf (1995 through 1996) | 40% | - | 0% | 0% | 37% |
| Arrowtooth Flounder - Central Gulf | 44% | 0% | 5% | 22% | 42% |
| Arrowtooth Flounder - Eastern Gulf | 66% | - | 0% | 100% | 55% |
| Arrowtooth Flounder - Western Gulf | 27% | 100% | 0% | _ | 27% |
| Deep Water Flatfish - Central Gulf | 16% | - | 6% | 20% | 16% |
| Deep Water Flatfish - Eastern Gulf | 62% | _ | 0% | 100% | 64% |
| Deep Water Flatfish - Western Gulf | | | - | - | |
| Flathead Sole - Central Gulf | 32% | 0% | 75% | 29% | 32% |
| Flathead Sole - Eastern Gulf | 26% | - | 0% | 100% | 34% |
| Flathead Sole - Western Gulf | 19% | _ | 0% | 0% | 17% |
| Northern Rockfish - Central Gulf | 93% | | 100% | 100% | 93% |
| Northern Rockfish - Eastern Gulf | 100% | | 10070 | 10070 | 100% |
| Northern Rockfish - Eastern Gulf Northern Rockfish - Western Gulf | 0% | | | - | 0% |
| Other Species - Gulf of Alaska | 26% | 0% | 0% | 13% | 26% |
| | 3% | - 0% | | | |
| Pacific Cod (Inshore) - Central Gulf | 3% | | 0% | 11% | 2% |
| Pacific Cod (Offshore) - Central Gulf | 200/ | 0% | 0% | 0% | 0% |
| Pacific Cod (Inshore) - Eastern Gulf | 20% | - | - | 100% | 21% |
| Pacific Cod (Offshore) - Eastern Gulf | - | - | - | - | - |
| Pacific Cod (Inshore) - Western Gulf | 0% | - | 0% | 0% | 0% |
| Pacific Cod (Offshore) - Western Gulf | - | 100% | 6% | 0% | 3% |
| Pelagic Shelf Rockfish - Central Gulf | 93% | - | - | 83% | 93% |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | 100% | - | - | - | 100% |
| Pelagic Shelf Rockfish - Eastern Gulf | - | - | 0% | 100% | 95% |
| Pelagic Shelf Rockfish - Western Gulf | 0% | - | - | - | 0% |
| Pollock - Chirikof District | 48% | 0% | 0% | 0% | 47% |
| Pollock - Eastern Gulf | 0% | - | 0% | 2% | 0% |
| Pollock - Kodiak | 31% | 0% | 27% | 22% | 30% |
| Pollock - Shumagin District | 49% | 100% | 6% | 0% | 47% |
| Pacific Ocean Perch - Central Gulf | 98% | 0% | 86% | 100% | 98% |
| Pacific Ocean Perch - Eastern Gulf | 57% | - | 0% | 100% | 97% |
| Pacific Ocan Perch - Western Gulf | 95% | - | - | - | 95% |
| Rex Sole - Central Gulf | 52% | 0% | 50% | 25% | 49% |
| Rex Sole - Eastern Gulf | 38% | - | 0% | 100% | 40% |
| Rex Sole - Western Gulf | 7% | - | - | - | 7% |
| Slope Rockfish - Central Gulf | 39% | - | 0% | - | 35% |
| Slope Rockfish - Eastern Gulf | - | - | - | - | - |
| Slope Rockfish - Western Gulf | - | - | - | - | - |
| Sablefish (Fixed Gear) - Central Gulf | 14% | - | - | - | 14% |
| Sablefish (Fixed Gear) - Western Gulf | - | - | - | - | - |
| Sablefish (Trawl Gear) - Central Gulf | 68% | - | 72% | 75% | 68% |
| Sablefish (Trawl Gear) - Southeast | _ | _ | - | 100% | 100% |
| Sablefish (Trawl Gear) - Western Gulf | 25% | _ | _ | _ | 25% |
| Sablefish (Trawl Gear) - Western Yakutat | 60% | _ | - | 100% | 81% |
| Shallow Water Flatfish - Central Gulf | 23% | 0% | 34% | 43% | 23% |
| Shallow Water Flatfish - Eastern Gulf | 38% | - | 0% | 97% | 67% |
| Shallow Water Flatfish - Western Gulf | 3% | _ | 0% | 0% | 3% |
| Shortraker / Rougheye - Central Gulf | 56% | | 0% | 33% | 55% |
| Shortraker / Rougheye - Eastern Gulf | 17% | | 0% | 100% | 63% |
| Shortraker / Rougheye - Lastern Gulf | 100% | | - | 10070 | 100% |
| Thornyhead - Gulf of Alaska | 37% | | 29% | 93% | 41% |
| Thomyneau - Guil Ol Alaska | 31% | | 27% | 73% | 41% |

Table 37: 4th Quarter Percent of Catch Harvested by All Eligible AFA Catcher Vessels in the Gulf of Alaska (1995-97)

| | All Fisheries % of Sector's Total Catch % of Total Catch | | | | | | |
|---|--|------------------|-------------|-------------|----------------|--|--|
| Species by TAC Grouping | | % of Total Catch | | | | | |
| Species by TAC Grouping | CV Inshore | CV to IN/MS | CV to MS | CV to CP | by all Sectors | | |
| | (80 Vessels) | (9 Vessels) | (7 Vessels) | (6 Vessels) | (102 Vessels) | | |
| *Atka Mackerel - Central Gulf (1995 through 1996) | 0% | 0% | - | 0% | 0% | | |
| *Atka Mackerel - Gulf of Alaska (1997) | - | - | - | - | - | | |
| *Atka Mackerel - Western Gulf (1995 through 1996) | 0% | - | 0% | 0% | 0% | | |
| Arrowtooth Flounder - Central Gulf | 20% | 0% | 18% | 24% | 20% | | |
| Arrowtooth Flounder - Eastern Gulf | 24% | - | 0% | 0% | 19% | | |
| Arrowtooth Flounder - Western Gulf | 4% | 0% | 67% | _ | 5% | | |
| Deep Water Flatfish - Central Gulf | 3% | _ | 0% | 8% | 2% | | |
| Deep Water Flatfish - Eastern Gulf | 38% | _ | 0% | 0% | 31% | | |
| Deep Water Flatfish - Western Gulf | - | _ | _ | _ | _ | | |
| Flathead Sole - Central Gulf | 16% | 0% | 0% | 19% | 16% | | |
| Flathead Sole - Eastern Gulf | 74% | - | 0% | 0% | 63% | | |
| Flathead Sole - Western Gulf | 1% | _ | 8% | 0% | 2% | | |
| Northern Rockfish - Central Gulf | 3% | | 0% | 0% | 3% | | |
| Northern Rockfish - Eastern Gulf | 0% | | 070 | 070 | 0% | | |
| Northern Rockfish - Western Gulf | 0% | | | | 0% | | |
| Other Species - Gulf of Alaska | 20% | 0% | 10% | 5% | 19% | | |
| Pacific Cod (Inshore) - Central Gulf | 14% | - 0% | 10% | 53% | 13% | | |
| ` ' | 14% | | | | | | |
| Pacific Cod (Offshore) - Central Gulf | - 00/ | 0% | 0% | 0% | 0% | | |
| Pacific Cod (Inshore) - Eastern Gulf | 0% | - | - | 0% | 0% | | |
| Pacific Cod (Offshore) - Eastern Gulf | - | - | - | - | - | | |
| Pacific Cod (Inshore) - Western Gulf | 0% | - | 0% | 0% | 0% | | |
| Pacific Cod (Offshore) - Western Gulf | - | 0% | 1% | 0% | 0% | | |
| Pelagic Shelf Rockfish - Central Gulf | 1% | - | - | 0% | 1% | | |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | 0% | - | - | - | 0% | | |
| Pelagic Shelf Rockfish - Eastern Gulf | - | - | 0% | 0% | 0% | | |
| Pelagic Shelf Rockfish - Western Gulf | 0% | - | - | - | 0% | | |
| Pollock - Chirikof District | 1% | 0% | 0% | 0% | 1% | | |
| Pollock - Eastern Gulf | 0% | - | 0% | 0% | 0% | | |
| Pollock - Kodiak | 28% | 0% | 22% | 12% | 27% | | |
| Pollock - Shumagin District | 12% | 0% | 27% | 0% | 12% | | |
| Pacific Ocean Perch - Central Gulf | 0% | 0% | 0% | 0% | 0% | | |
| Pacific Ocean Perch - Eastern Gulf | 0% | - | 0% | 0% | 0% | | |
| Pacific Ocan Perch - Western Gulf | 5% | - | - | - | 5% | | |
| Rex Sole - Central Gulf | 14% | 0% | 0% | 6% | 12% | | |
| Rex Sole - Eastern Gulf | 62% | - | 0% | 0% | 53% | | |
| Rex Sole - Western Gulf | 7% | - | - | - | 7% | | |
| Slope Rockfish - Central Gulf | 6% | - | 100% | - | 15% | | |
| Slope Rockfish - Eastern Gulf | - | - | - | - | - | | |
| Slope Rockfish - Western Gulf | - | = | - | - | - | | |
| Sablefish (Fixed Gear) - Central Gulf | 8% | = | - | - | 8% | | |
| Sablefish (Fixed Gear) - Western Gulf | - | - | - | - | - | | |
| Sablefish (Trawl Gear) - Central Gulf | 1% | - | 0% | 6% | 1% | | |
| Sablefish (Trawl Gear) - Southeast | - | _ | _ | 0% | 0% | | |
| Sablefish (Trawl Gear) - Western Gulf | 0% | _ | _ | - | 0% | | |
| Sablefish (Trawl Gear) - Western Yakutat | 40% | _ | _ | 0% | 19% | | |
| Shallow Water Flatfish - Central Gulf | 24% | 0% | 4% | 17% | 24% | | |
| Shallow Water Flatfish - Eastern Gulf | 15% | - | 0% | 0% | 4% | | |
| Shallow Water Flatfish - Western Gulf | 1% | | 11% | 0% | 1% | | |
| Shortraker / Rougheye - Central Gulf | 0% | | 0% | 0% | 0% | | |
| Shortraker / Rougheye - Central Gulf | 17% | | 0% | 0% | 5% | | |
| Shortraker / Rougheye - Eastern Gulf | 0% | | 0% | 0% | 0% | | |
| | | - | - 00/ | - | | | |
| Thornyhead - Gulf of Alaska | 2% | - | 0% | 0% | 1% | | |

Table 38: Quarterly Catch of Catcher Vessels in the Inshore Sector in the Gulf of Alaska (1995-97)

| Species by TAC Grouping | All Fisheries | | | | | |
|---|---------------|---------|---------|---------|-------|--|
| | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total | |
| *Atka Mackerel - Central Gulf (1995 through 1996) | 71% | 0% | 29% | 0% | 100% | |
| *Atka Mackerel - Gulf of Alaska (1997) | - | - | - | - | _ | |
| *Atka Mackerel - Western Gulf (1995 through 1996) | 4% | 56% | 40% | 0% | 100% | |
| Arrowtooth Flounder - Central Gulf | 12% | 24% | 44% | 20% | 100% | |
| Arrowtooth Flounder - Eastern Gulf | 10% | 0% | 66% | 24% | 100% | |
| Arrowtooth Flounder - Western Gulf | 66% | 3% | 27% | 4% | 100% | |
| Deep Water Flatfish - Central Gulf | 12% | 70% | 16% | 3% | 100% | |
| Deep Water Flatfish - Eastern Gulf | 0% | 0% | 62% | 38% | 100% | |
| Deep Water Flatfish - Western Gulf | - | - | - | - | _ | |
| Flathead Sole - Central Gulf | 18% | 34% | 32% | 16% | 100% | |
| Flathead Sole - Eastern Gulf | 0% | 0% | 26% | 74% | 100% | |
| Flathead Sole - Western Gulf | 80% | 0% | 19% | 1% | 100% | |
| Northern Rockfish - Central Gulf | 3% | 2% | 93% | 3% | 100% | |
| Northern Rockfish - Eastern Gulf | 0% | 0% | 100% | 0% | 100% | |
| Northern Rockfish - Western Gulf | 100% | 0% | 0% | 0% | 100% | |
| Other Species - Gulf of Alaska | 21% | 34% | 26% | 20% | 100% | |
| Pacific Cod (Inshore) - Central Gulf | 81% | 3% | 3% | 14% | 100% | |
| Pacific Cod (Offshore) - Central Gulf | - | - | - | - | _ | |
| Pacific Cod (Inshore) - Eastern Gulf | 80% | 0% | 20% | 0% | 100% | |
| Pacific Cod (Offshore) - Eastern Gulf | - | - | - | - | _ | |
| Pacific Cod (Inshore) - Western Gulf | 99% | 1% | 0% | 0% | 100% | |
| Pacific Cod (Offshore) - Western Gulf | - | - | - | - | _ | |
| Pelagic Shelf Rockfish - Central Gulf | 5% | 0% | 93% | 1% | 100% | |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | 0% | 0% | 100% | 0% | 100% | |
| Pelagic Shelf Rockfish - Eastern Gulf | - | - | - | - | - | |
| Pelagic Shelf Rockfish - Western Gulf | 100% | 0% | 0% | 0% | 100% | |
| Pollock - Chirikof District | 33% | 19% | 48% | 1% | 100% | |
| Pollock - Eastern Gulf | 100% | 0% | 0% | 0% | 100% | |
| Pollock - Kodiak | 21% | 20% | 31% | 28% | 100% | |
| Pollock - Shumagin District | 23% | 16% | 49% | 12% | 100% | |
| Pacific Ocean Perch - Central Gulf | 0% | 1% | 98% | 0% | 100% | |
| Pacific Ocean Perch - Eastern Gulf | 43% | 0% | 57% | 0% | 100% | |
| Pacific Ocan Perch - Western Gulf | 0% | 0% | 95% | 5% | 100% | |
| Rex Sole - Central Gulf | 11% | 24% | 52% | 14% | 100% | |
| Rex Sole - Eastern Gulf | 1% | 0% | 38% | 62% | 100% | |
| Rex Sole - Western Gulf | 87% | 0% | 7% | 7% | 100% | |
| Slope Rockfish - Central Gulf | 33% | 22% | 39% | 6% | 100% | |
| Slope Rockfish - Eastern Gulf | - | - | - | - | | |
| Slope Rockfish - Western Gulf | - | - | - | - | - | |
| Sablefish (Fixed Gear) - Central Gulf | 0% | 78% | 14% | 8% | 100% | |
| Sablefish (Fixed Gear) - Western Gulf | - | - | - | - | | |
| Sablefish (Trawl Gear) - Central Gulf | 4% | 27% | 68% | 1% | 100% | |
| Sablefish (Trawl Gear) - Southeast | - | - | - | - | _ | |
| Sablefish (Trawl Gear) - Western Gulf | 75% | 0% | 25% | 0% | 100% | |
| Sablefish (Trawl Gear) - Western Yakutat | 0% | 0% | 60% | 40% | 100% | |
| Shallow Water Flatfish - Central Gulf | 29% | 24% | 23% | 24% | 100% | |
| Shallow Water Flatfish - Eastern Gulf | 31% | 15% | 38% | 15% | 100% | |
| Shallow Water Flatfish - Western Gulf | 37% | 59% | 3% | 1% | 100% | |
| Shortraker / Rougheye - Central Gulf | 6% | 39% | 56% | 0% | 100% | |
| Shortraker / Rougheye - Eastern Gulf | 67% | 0% | 17% | 17% | 100% | |
| Shortraker / Rougheye - Western Gulf | 0% | 0% | 100% | 0% | 100% | |
| Thornyhead - Gulf of Alaska | 9% | 52% | 37% | 2% | 100% | |

Table 39: Quarterly Catch of Catcher Vessels in the Inshore / Mothership Sector in the Gulf of Alaska (1995-97)

| Species by TAC Grouping | All Fisheries | | | | |
|---|---------------|----------|----------|---------|--------------|
| | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total |
| *Atka Mackerel - Central Gulf (1995 through 1996) | 100% | 0% | 0% | 0% | 100% |
| *Atka Mackerel - Gulf of Alaska (1997) | - | - | - | - | - |
| *Atka Mackerel - Western Gulf (1995 through 1996) | - | - | - | - | - |
| Arrowtooth Flounder - Central Gulf | 0% | 100% | 0% | 0% | 100% |
| Arrowtooth Flounder - Eastern Gulf | - | - | - | - | - |
| Arrowtooth Flounder - Western Gulf | 0% | 0% | 100% | 0% | 100% |
| Deep Water Flatfish - Central Gulf | - | - | - | - | _ |
| Deep Water Flatfish - Eastern Gulf | _ | _ | _ | _ | |
| Deep Water Flatfish - Western Gulf | _ | _ | _ | _ | _ |
| Flathead Sole - Central Gulf | 0% | 100% | 0% | 0% | 100% |
| Flathead Sole - Eastern Gulf | _ | - | - | - | - |
| Flathead Sole - Western Gulf | _ | _ | _ | _ | |
| Northern Rockfish - Central Gulf | _ | _ | _ | _ | |
| Northern Rockfish - Eastern Gulf | _ | _ | _ | _ | _ |
| Northern Rockfish - Western Gulf | _ | | | _ | |
| Other Species - Gulf of Alaska | 0% | 100% | 0% | 0% | 100% |
| Pacific Cod (Inshore) - Central Gulf | 070 | 10070 | - | 070 | 10070 |
| Pacific Cod (Offshore) - Central Gulf | 78% | 22% | 0% | 0% | 100% |
| Pacific Cod (Inshore) - Eastern Gulf | 7070 | 22/0 | 070 | 070 | 10070 |
| Pacific Cod (Offshore) - Eastern Gulf | | | | - | |
| Pacific Cod (Inshore) - Western Gulf | | | | - | - |
| ` ' | | | 100% | 0% | 100% |
| Pacific Cod (Offshore) - Western Gulf Pelagic Shelf Rockfish - Central Gulf | 0% | 0% | 100% | 0% | 100% |
| ĕ | - | <u> </u> | <u> </u> | - | |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | | | | - | |
| Pelagic Shelf Rockfish - Eastern Gulf | - | <u> </u> | - | - | |
| Pelagic Shelf Rockfish - Western Gulf | 1000/ | | - 00/ | - 00/ | 1000/ |
| Pollock - Chirikof District | 100% | 0% | 0% | 0% | 100% |
| Pollock - Eastern Gulf | - | 1000/ | - | - | 1000/ |
| Pollock - Kodiak | 0% | 100% | 0% | 0% | 100% |
| Pollock - Shumagin District | 0% | 0% | 100% | 0% | 100% |
| Pacific Ocean Perch - Central Gulf | 0% | 100% | 0% | 0% | 100% |
| Pacific Ocean Perch - Eastern Gulf | - | - | - | - | |
| Pacific Ocan Perch - Western Gulf | - | - | - | - | - |
| Rex Sole - Central Gulf | 0% | 100% | 0% | 0% | 100% |
| Rex Sole - Eastern Gulf | - | - | - | - | |
| Rex Sole - Western Gulf | - | - | - | - | |
| Slope Rockfish - Central Gulf | - | - | - | - | - |
| Slope Rockfish - Eastern Gulf | - | - | - | - | - |
| Slope Rockfish - Western Gulf | - | - | - | - | |
| Sablefish (Fixed Gear) - Central Gulf | - | - | - | - | |
| Sablefish (Fixed Gear) - Western Gulf | - | - | - | - | |
| Sablefish (Trawl Gear) - Central Gulf | - | - | - | - | |
| Sablefish (Trawl Gear) - Southeast | - | - | - | - | |
| Sablefish (Trawl Gear) - Western Gulf | - | | - | - | - |
| Sablefish (Trawl Gear) - Western Yakutat | - | - | - | - | - |
| Shallow Water Flatfish - Central Gulf | 100% | 0% | 0% | 0% | 100% |
| Shallow Water Flatfish - Eastern Gulf | - | - | - | - | - |
| Shallow Water Flatfish - Western Gulf | - | - | - | - | - |
| Shortraker / Rougheye - Central Gulf | - | - | - | - | - |
| Shortraker / Rougheye - Eastern Gulf | - | - | _ | - | - |
| Shortraker / Rougheye - Western Gulf | - | - | _ | _ | - |
| Thornyhead - Gulf of Alaska | - | - | - | - | - |

Table 40: Quarterly Catch of Catcher Vessels in the Mothership Sector in the Gulf of Alaska (1995-97)

| Species by TAC Grouping | All Fisheries | | | | | |
|---|---------------|---------|---------|---------|-------|--|
| | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total | |
| *Atka Mackerel - Central Gulf (1995 through 1996) | - | - | - | - | _ | |
| *Atka Mackerel - Gulf of Alaska (1997) | - | - | - | - | _ | |
| *Atka Mackerel - Western Gulf (1995 through 1996) | 0% | 100% | 0% | 0% | 100% | |
| Arrowtooth Flounder - Central Gulf | 1% | 75% | 5% | 18% | 100% | |
| Arrowtooth Flounder - Eastern Gulf | 4% | 96% | 0% | 0% | 100% | |
| Arrowtooth Flounder - Western Gulf | 33% | 0% | 0% | 67% | 100% | |
| Deep Water Flatfish - Central Gulf | 0% | 94% | 6% | 0% | 100% | |
| Deep Water Flatfish - Eastern Gulf | 0% | 100% | 0% | 0% | 100% | |
| Deep Water Flatfish - Western Gulf | - | - | - | - | - | |
| Flathead Sole - Central Gulf | 0% | 25% | 75% | 0% | 100% | |
| Flathead Sole - Eastern Gulf | 0% | 100% | 0% | 0% | 100% | |
| Flathead Sole - Western Gulf | 92% | 0% | 0% | 8% | 100% | |
| Northern Rockfish - Central Gulf | 0% | 0% | 100% | 0% | 100% | |
| Northern Rockfish - Eastern Gulf | - | - | - | - | - | |
| Northern Rockfish - Western Gulf | - | - | - | - | - | |
| Other Species - Gulf of Alaska | 20% | 70% | 0% | 10% | 100% | |
| Pacific Cod (Inshore) - Central Gulf | 98% | 1% | 0% | 1% | 100% | |
| Pacific Cod (Offshore) - Central Gulf | 100% | 0% | 0% | 0% | 100% | |
| Pacific Cod (Inshore) - Eastern Gulf | - | - | - | - | - | |
| Pacific Cod (Offshore) - Eastern Gulf | - | - | - | - | - | |
| Pacific Cod (Inshore) - Western Gulf | 100% | 0% | 0% | 0% | 100% | |
| Pacific Cod (Offshore) - Western Gulf | 94% | 0% | 6% | 1% | 100% | |
| Pelagic Shelf Rockfish - Central Gulf | - | - | - | - | - | |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | - | - | - | - | - | |
| Pelagic Shelf Rockfish - Eastern Gulf | 0% | 100% | 0% | 0% | 100% | |
| Pelagic Shelf Rockfish - Western Gulf | - | - | - | - | _ | |
| Pollock - Chirikof District | 39% | 61% | 0% | 0% | 100% | |
| Pollock - Eastern Gulf | 100% | 0% | 0% | 0% | 100% | |
| Pollock - Kodiak | 3% | 48% | 27% | 22% | 100% | |
| Pollock - Shumagin District | 52% | 15% | 6% | 27% | 100% | |
| Pacific Ocean Perch - Central Gulf | 0% | 14% | 86% | 0% | 100% | |
| Pacific Ocean Perch - Eastern Gulf | 0% | 100% | 0% | 0% | 100% | |
| Pacific Ocan Perch - Western Gulf | - | - | - | - | | |
| Rex Sole - Central Gulf | 0% | 50% | 50% | 0% | 100% | |
| Rex Sole - Eastern Gulf | 0% | 100% | 0% | 0% | 100% | |
| Rex Sole - Western Gulf | - | - | - | - | | |
| Slope Rockfish - Central Gulf | 0% | 0% | 0% | 100% | 100% | |
| Slope Rockfish - Eastern Gulf | - | - | - | - | | |
| Slope Rockfish - Western Gulf | - | - | - | - | | |
| Sablefish (Fixed Gear) - Central Gulf | - | - | - | - | - | |
| Sablefish (Fixed Gear) - Western Gulf | - | - | - | - | - | |
| Sablefish (Trawl Gear) - Central Gulf | 0% | 28% | 72% | 0% | 100% | |
| Sablefish (Trawl Gear) - Southeast | - | - | - | - | - | |
| Sablefish (Trawl Gear) - Western Gulf | - | - | - | - | - | |
| Sablefish (Trawl Gear) - Western Yakutat | - | - | - | - | - | |
| Shallow Water Flatfish - Central Gulf | 18% | 45% | 34% | 4% | 100% | |
| Shallow Water Flatfish - Eastern Gulf | 0% | 100% | 0% | 0% | 100% | |
| Shallow Water Flatfish - Western Gulf | 89% | 0% | 0% | 11% | 100% | |
| Shortraker / Rougheye - Central Gulf | 0% | 100% | 0% | 0% | 100% | |
| Shortraker / Rougheye - Eastern Gulf | 50% | 50% | 0% | 0% | 100% | |
| Shortraker / Rougheye - Western Gulf | - | | | - | | |
| Thornyhead - Gulf of Alaska | 0% | 71% | 29% | 0% | 100% | |

Table 41: Quarterly Catch of Catcher Vessels in the Catcher / Processor Sector in the Gulf of Alaska (1995-97)

| Species by TAC Grouping | All Fisheries | | | | | |
|---|---------------|---------|---------|---------|-------|--|
| | 1st Qtr | 2nd Qtr | 3rd Qtr | 4th Qtr | Total | |
| *Atka Mackerel - Central Gulf (1995 through 1996) | 100% | 0% | 0% | 0% | 100% | |
| *Atka Mackerel - Gulf of Alaska (1997) | - | - | - | - | - | |
| *Atka Mackerel - Western Gulf (1995 through 1996) | 100% | 0% | 0% | 0% | 100% | |
| Arrowtooth Flounder - Central Gulf | 0% | 54% | 22% | 24% | 100% | |
| Arrowtooth Flounder - Eastern Gulf | 0% | 0% | 100% | 0% | 100% | |
| Arrowtooth Flounder - Western Gulf | - | - | - | - | - | |
| Deep Water Flatfish - Central Gulf | 0% | 72% | 20% | 8% | 100% | |
| Deep Water Flatfish - Eastern Gulf | 0% | 0% | 100% | 0% | 100% | |
| Deep Water Flatfish - Western Gulf | _ | _ | _ | _ | _ | |
| Flathead Sole - Central Gulf | 0% | 52% | 29% | 19% | 100% | |
| Flathead Sole - Eastern Gulf | 0% | 0% | 100% | 0% | 100% | |
| Flathead Sole - Western Gulf | 100% | 0% | 0% | 0% | 100% | |
| Northern Rockfish - Central Gulf | 0% | 0% | 100% | 0% | 100% | |
| Northern Rockfish - Eastern Gulf | - | - | - | - | - | |
| Northern Rockfish - Western Gulf | _ | _ | _ | _ | _ | |
| Other Species - Gulf of Alaska | 10% | 72% | 13% | 5% | 100% | |
| Pacific Cod (Inshore) - Central Gulf | 0% | 36% | 11% | 53% | 100% | |
| Pacific Cod (Offshore) - Central Gulf | 100% | 0% | 0% | 0% | 100% | |
| Pacific Cod (Inshore) - Eastern Gulf | 0% | 0% | 100% | 0% | 100% | |
| Pacific Cod (Offshore) - Eastern Gulf | - 070 | - | 10070 | 070 | 10070 | |
| Pacific Cod (Inshore) - Western Gulf | 100% | 0% | 0% | 0% | 100% | |
| Pacific Cod (Offshore) - Western Gulf | 100% | 0% | 0% | 0% | 100% | |
| Pelagic Shelf Rockfish - Central Gulf | 0% | 17% | 83% | 0% | 100% | |
| Pelagic Shelf Rockfish (Nearshore) - Central Gulf | - 076 | | 0370 | 070 | 100% | |
| Pelagic Shelf Rockfish - Eastern Gulf | 0% | - 00/ | 100% | 0% | 100% | |
| Č | 0% | 0% | 100% | 0% | 100% | |
| Pelagic Shelf Rockfish - Western Gulf Pollock - Chirikof District | 520/ | 190/ | 0% | 0% | 100% | |
| | 52% | 48% | | | | |
| Pollock - Eastern Gulf | 98% | 0% | 2% | 0% | 100% | |
| Pollock - Kodiak | 0% | 66% | 22% | 12% | 100% | |
| Pollock - Shumagin District | 52% | 48% | 0% | 0% | 100% | |
| Pacific Ocean Perch - Central Gulf | 0% | 0% | 100% | 0% | 100% | |
| Pacific Ocean Perch - Eastern Gulf | 0% | 0% | 100% | 0% | 100% | |
| Pacific Ocan Perch - Western Gulf | - | - | - 250/ | - | 1000/ | |
| Rex Sole - Central Gulf | 0% | 69% | 25% | 6% | 100% | |
| Rex Sole - Eastern Gulf | 0% | 0% | 100% | 0% | 100% | |
| Rex Sole - Western Gulf | - | - | - | - | | |
| Slope Rockfish - Central Gulf | - | - | - | - | - | |
| Slope Rockfish - Eastern Gulf | - | - | - | - | - | |
| Slope Rockfish - Western Gulf | - | - | - | - | | |
| Sablefish (Fixed Gear) - Central Gulf | - | - | - | - | | |
| Sablefish (Fixed Gear) - Western Gulf | - | - | | - | - | |
| Sablefish (Trawl Gear) - Central Gulf | 0% | 19% | 75% | 6% | 100% | |
| Sablefish (Trawl Gear) - Southeast | 0% | 0% | 100% | 0% | 100% | |
| Sablefish (Trawl Gear) - Western Gulf | - | | - | - | | |
| Sablefish (Trawl Gear) - Western Yakutat | 0% | 0% | 100% | 0% | 100% | |
| Shallow Water Flatfish - Central Gulf | 3% | 38% | 43% | 17% | 100% | |
| Shallow Water Flatfish - Eastern Gulf | 3% | 0% | 97% | 0% | 100% | |
| Shallow Water Flatfish - Western Gulf | 100% | 0% | 0% | 0% | 100% | |
| Shortraker / Rougheye - Central Gulf | 0% | 67% | 33% | 0% | 100% | |
| Shortraker / Rougheye - Eastern Gulf | 0% | 0% | 100% | 0% | 100% | |
| Shortraker / Rougheye - Western Gulf | - | - | - | - | - | |
| Thornyhead - Gulf of Alaska | 0% | 7% | 93% | 0% | 100% | |